

Paints, Sealants & Consumables



2-4, 12-13	<i>Paints - Topcoats & Primers</i>
5, 14-15	<i>Varnish, Thinners & Degreasers</i>
7	<i>Fillers & Farings</i>
8, 15	<i>Brushes, Rollers, Trays & Scrapers</i>
15, 26	<i>Masks, Goggles, Overalls, Hearing & Face Protection</i>
9-11, 26,28	<i>Cleaners, Polish & Accessories</i>
13	<i>Hull Coatings & Specialist Paints</i>
16-19	<i>Sealants & Accessories</i>
20	<i>Lanolin Products</i>
21-22	<i>Toilet Fluids, Antifreeze, Fuel Additives & Fuel Cans</i>
22-23	<i>Oils, Grease & related consumables</i>
24-25	<i>Sandpaper, Sanders & Accessories</i>
21, 27	<i>Tapes - Foam, Masking, Waterproof, Aluminium Foil & Safetywalk</i>



Five Depots Nationwide

Aquafax Limited, 14 Dencora Way, Sundon Business Park, Luton, Beds LU3 3HP	Tel:(01582) 568700 Fax:(01582) 568720
Aquafax Ltd. (Hamble), 12-13 Mitchell Point, Ensign Business Park, Hamble, Southampton SO31 4RF	Tel:(023) 80457206 Fax:(023) 80457208
Aquafax Ltd. (Plymouth), Unit 5 Plymouth Trade Park, 22 Macadam Road, Plymouth PL4 0RU	Tel:(01752) 669944 Fax:(01752) 667764
Aquafax Ltd. (Middlewich), Unit 11, Valley Court, Sanderson Way, Middlewich, Cheshire CW10 0GF	Tel:(01606) 841111 Fax:(01606) 841188
Aquafax Ltd. (Wroxham), Unit 31 Littlewood Lane, Stalham Road Ind. Estate, Hoveton, Norfolk NR12 8DZ	Tel:(01603) 781881 Fax:(01603) 781981



HEMPEL PAINT SYSTEMS



BRILLIANT ENAMEL & PRIMER UNDERCOAT

A single pack system designed for the marine environment. For use above the waterline.

Hempel Brilliant Enamel is an urethane alkyd enamel with high gloss and good colour retention. Flexible and resistant to salt water and spillage of mineral oil. Recommended for use as a finishing coat in alkyd systems on interior and exterior surfaces.

Coverage: 13.5m²/l Thinner: No.1 Brushes & No.1 Spray

Hempel Primer Undercoat is a quick drying, high opacity primer and undercoat providing excellent durability and surface stability in preparation for overcoating with single pack systems. Especially suitable as a primer for steel and as an undercoat for Brilliant Enamel.

Coverage: 12m²/l

Thinners: No.1 Brushes & No. 1 Spray

PRIMER UNDERCOAT

Colour	750ml	2.5ltr
White	5-12001	5-12002
Grey	5-12007	5-12008
Blue	5-12009	-
Black	-	5-12012



POLYGLOSS & LIGHT PRIMER UNDERCOAT

A two pack polyurethane topcoat giving a high gloss finish - extremely durable & resistant to ultra-violet degradation & abrasion. For use above the waterline.

Hempel Polygloss is well known for its ease of application and high performance properties. It is recommended for use as a finishing coat on surfaces above the waterline on glass fibre, aluminium, steel, ferrocement, plywood and other wood, where substrate movement is minimal. Polygloss can be applied at temperatures of 10°C and above.

Coverage: 15m²/l Thinner: No.2 Brushes & No.6 Spray

Hempel Light Primer Undercoat (EPU) is a two component epoxy high build paint. It forms a hard and tough coating resistant to water and petroleum products. It is recommended for use as a primer below and above the water line on boats made of aluminium, glass fibre reinforced polyester, plywood, steel and ferrocement. Also for protection of keels and rudders.

Coverage: 8.5m²/l

Thinners: No.5 Brushes & No.5 Spray

LIGHT PRIMER UNDERCOAT

Colour	350ml	750ml	2.25ltr
Off White	5-12200	5-12201	5-12202
Grey	-	5-12207	5-12208
Blue	-	5-12209	5-12210
Britannia Blue	-	5-12211	-



BRILLIANT ENAMEL				
Colour	375ml	750ml	2.5ltr	Suggested Undercoat
White	5-10000	5-10001	5-10002	White
Pearl White	-	5-10003	-	White
Pale Cream	-	5-10005	-	White
Inca Yellow	-	5-10011	-	White
Survival Orange	-	5-10015	-	White
Pillarbox Red	-	5-10017	-	Grey or White
Bordeaux Red	-	5-10019	-	Grey or White
Dolphin Grey	-	5-10025	-	Grey
Biscay	-	5-10027	-	Grey
Shannon Green	-	5-10031	-	Grey/Black
Chodo Green	-	5-10033	-	Grey
Pacific Blue	-	5-10037	-	Blue/Black
Souvenirs Blue	-	5-10039	-	Blue/Black
Rhapsody Blue	-	5-10041	-	Blue
True Blue	-	5-10043	-	Blue
Britannia Blue	-	5-10045	5-10046	Blue
Black	-	5-10047	-	Black

POLYGLOSS			
Colour	750ml	2.25ltr	Suggested Undercoat
White	5-11001	5-11002	White
White	5-11003	-	White
-	-	-	-
White	5-11011	-	White
White	5-11015	-	White
White	5-11017	-	White
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
Blue	5-11037	-	Blue
Blue	5-11039	-	Blue
Blue	5-11041	-	Blue
Blue	5-11043	-	Blue
Britannia Blue	5-11045	-	Britannia Blue
Black	5-11047	-	Black

The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying



DELIVERY

Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



HEMPEL TOPCOATS



MULTICOAT

A high opacity semi-gloss primer and topcoat, provides excellent durability with good resistance to water and oil. Multicoat is ideal for all areas above the waterline where a semi-gloss durable topcoat is required, including decks, bilges and lockers. It can also be used as an intermediary coat on new or bare wood. Also suitable for steel.

Coverage: 12m²/l Thinner: No. 1

DECK COATING

A durable semi-gloss coating for deck areas, which is easy to apply straight onto the substrate - no primer necessary. Add Anti-Slip granules for a non-slip finish. Suitable for steel and wood.

Coverage: 11m²/l Thinner: No. 1

BILGE & LOCKER PAINT

High opacity satin topcoat providing excellent durability, with good water and oil resistance for bilges and lockers. Not suitable for permanent immersion. Can be used as an intermediate and finishing coat on areas above the waterline. Suitable for steel, wood, fibreglass and epoxy coatings.

Coverage: 11m²/l Thinner: No. 1


Colour	750ml	2.5 Ltr
White	5-17101	5-17102
Mid Grey	5-17103	5-17104



MULTICOAT			DECK COAT	
Colour	750ml	2.5ltr	Colour	750ml
White	5-17001	5-17002	White	5-16601
Pale Cream	5-17003	-	Pale Cream	5-16603
Pillarbox Red	5-17007	-	Pillarbox Red	-
Light Grey	5-17009	5-17010	Light Grey	5-16607
Mid Grey	5-17011	-	Mid Grey	5-16609
Chodo Green	5-17017	-	Chodo Green	5-16611
Cream Blue	-	-	Cream Blue	5-16613
Light Blue	5-17023	-	Light Blue	-
Pacific Blue	-	-	Pacific Blue	5-16615
Navy Blue	5-17027	5-17028	Navy Blue	-
Black	5-17031	5-17032	Black	-



White



Pale Cream



Pillarbox Red



Light Grey



Mid Grey



Chodo Green



Cream Blue



Light Blue



Pacific Blue



Navy Blue



Black

The printing processes used in producing this colour chart do not allow exact colour reproduction and we recommend that you should check for accuracy before applying.


ANTI-SLINT & ANTI-SLIP ADDITIVE

Anti-slint Additive (course) is a paint additive for areas where a truly rough surface is required to prevent slip. 2.5kg (enough to cover the roof of a 50ft Narrow Boat). Part No. 5-16104


Anti-slip Additive (standard) is a paint additive for areas where an anti-slip surface is required, decks etc. 160g (recommended mix ratio 160g per 1.5Ltr). Part No. 5-16101

CALCULATING THE AREA TO BE PAINTED

Deck & Topside Surface Areas




$$(LOA + B) \times (F \times 2) = \text{Topside area}$$




$$LOA \times B \times 0.75 = \text{Deck area}$$


Underwater Surface Area



$$LWL \times (B + D) \times 0.85 = \text{Underwater area}$$



$$LWL \times (B + D) \times 0.75 = \text{Underwater area}$$



$$LWL \times (B + D) \times 0.50 = \text{Underwater area}$$

LOA = Length Overall

LWL = Length Waterline

B = Beam

D = Draft

F = Freeboard

Conversion Table:

1 foot = 0.305 metres

1 sq foot = 0.093 sq metres

1 UK gallon = 4.546 litres

1 US gallon = 3.785 litres

1 metre = 3.28 feet

1 sq metre = 10.763 sq feet

1 litre = 0.22 UK gallons

1 litre = 0.264 US gallons

$$\text{Litres required} = \frac{\text{Total Surface Area}}{\text{Recommended coverage rate of relevant paint}}$$



DELIVERY

Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



HEMPEL PRIMERS



PRIMERS

Grey Metallic Primer is a conventional water repelling primer. Durable and flexible for use on all substrates above the waterline especially wood and steel, under a conventional paint system. Colour: Grey.

Underwater Primer is fast drying with excellent waterproofing properties. Can be used either as part of a single pack system on all areas and substrates below the waterline - including keels. Can also be used as a tiecoat before antifouling, either directly onto the hull substrate or onto the existing antifouling. Colour: Grey.

Seatech Primer is a water-borne two-component polyamine cured epoxy primer. Recommended uses: as a tie coat for water-borne antifouling, as a primer above the waterline. Colour: Grey. **NEW**

Antifouling Primer can be used with white and light coloured antifouling. This is a fast drying antifouling primer with excellent waterproofing properties. Can be used as a tie coat before antifouling either directly onto any hull substrate or existing antifouling. Colour: Light Grey.


Primer Undercoat & Light Primer Undercoat see page 2 for product information and part numbers

Product	750ml	2.5ltr	Coverage	Thinners
Grey Metallic Primer	5-12301	5-12302	10m ² /l	No.1
Underwater Primer	5-12305	5-12306	8m ² /l	No.1
Seatech Primer	-	5-12308	9m ² /l	Fresh Water (5%)
Antifouling Primer	-	5-12310	8m ² /l	No.1
Primer Undercoat*	See p2 for Part No.s		12m ² /l	No.1
Light Primer Undercoat*	See p2 for Part No.s		8.5m ² /l	No.5

Hempel Primers Colour Guide

*Colours below are for Primer Undercoat & Light Primer Undercoat.

The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying



COMMERCIAL PRIMERS

Product	Part No.	Size	Coverage	Thinners	Uses
Uni Primer 1314	5-12312	5ltr	8.4m ² /l	No.3	Quick drying single pack modified epoxy ester primer with rust inhibitor
Red Oxide Uni Primer	5-12314	5ltr	8m ² /l	No.1	Traditional single pack zinc phosphate primer
Epoxy Blast Primer 2pk	5-12316	5ltr	10m ² /l	No.5	A 2 pack quick drying holding primer for freshly blast steel
Hempadur Epoxy - White	5-12318	5ltr	6m ² /l	No.5	Hard wearing, for steel with exceptional adhesion to most surfaces
Hempadur Epoxy - Red	5-12320	5ltr	6m ² /l	No.5	Hard wearing, for steel with exceptional adhesion to most surfaces
Hempadur Epoxy - Grey	5-12322	5ltr	6m ² /l	No.5	Hard wearing, for steel with exceptional adhesion to most surfaces
Hempadur Epoxy - Black	5-12324	5ltr	6m ² /l	No.5	Hard wearing, for steel with exceptional adhesion to most surfaces
Epoxy Pitch Primer	5-12326	5ltr	7.5m ²	No.5	Coal tar epoxy primer, excellent underwater primer for steel

Part No.s in Red = To Order Only

BLACK TAR VARNISH

Product	Part No.	Size	Coverage	Thinners
Black Bitumen Varnish	5-12900	5ltr	10m ² /l	No.1

Description: Is a general purpose anti-corrosive primer/topcoat blacking.
Suggested Use: Suitable for internal & external coating of wood, ferrous metals and concrete for waterproofing.

OSMOSIS SYSTEMS

GEL PROTECT SFE200

Gel Protect is a two component solvent-free epoxy primer developed to provide maximum moisture ingress. Recommended for use below the waterline on glass fibre reinforced polyester or steel boats. Also for prevention and repair of osmotic blistering in fibreglass reinforced polyester. Gel Protect SFE200 will take approximately 14 days to cure and it is recommended the boat is not launched during this period. Do not thin.

Coverage: 5m²/l Tool Clean: No.5

Colour	750ml	2.5 Ltr
Cream	5-14701	5-14702
Grey	5-14703	5-14704

Please see page 6 for Antifouling >>>



X DELIVERY
Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



HEMPEL VARNISH & THINNERS



WOOD SYSTEMS

Diamond 2 Pack Varnish is a two component polyurethane varnish producing a hard, extremely durable and long lasting finish. It is highly resistant to abrasion and chemicals and has high UV protection. Use inside and outside, above the waterline.

Dura-Gloss & Dura-Satin Varnish are both a single pack, urethane modified alkyd resistant to alcohol and cleaning materials. Quick drying to an extremely hard and durable high gloss or satin surface, which is highly resistant to wear and abrasion. Use inside and outside, above the waterline.

Favourite Varnish is a single pack, alkyd based, high gloss varnish. Easy to use, giving a tough, long lasting and durable finish. Ideal for areas where structural flexibility of the wood is needed. Use inside and outside, above the waterline.

Classic Varnish is a single pack, high quality traditional varnish containing tung oil. Excellent flow at application, a flexible finish and long term UV filters ensure long life. Use inside and outside, above the waterline.

SeaTech Gloss & Satin Varnish are both a waterborne, polyurethane varnishes, offering a durable finish with high resistance to water and UV damage. Use on new wood, inside or outside. No solvent odour during application and 2 - 3 coats can be applied in 1 day.

Product	375ml	750ml	2.5Ltr	Coverage	Thinners
Diamond 2 Pack Varnish	-	5-15003	-	12m ² /l	No.2
Dura-Gloss Varnish	5-15006	5-15007	-	17m ² /l	No.1
Dura-Satin Varnish	5-15010	5-15011	-	17m ² /l	No.1
Favourite Varnish	5-15014	5-15015	5-15016	16m ² /l	No.1
Classic Varnish	5-15018	5-15019	5-15020	18m ² /l	No.1
SeaTech Gloss Varnish	-	5-15023	-	12m ² /l	Water
SeaTech Satin Varnish	-	5-15025	-	12m ² /l	Water
Teak Oil	-	5-15031	-	4-12m ² /l	-
Teak Cleaner	-	5-15033	-	-	-



Teak Oil is unpigmented and helps wood resist both water and dirt and underlines its original structure. Can be used to overcoat Teak Colour Restorer but is not suitable for painted or varnished surfaces.



Teak Cleaner is a powder especially good for deck cleaning. Use before applying Teak Colour Restorer or Teak Oil.

CLEANING & DEGREASING

Degreaser removes all surface contaminants including grease, oil, wax and silicones on new & previously coated surfaces. Ideal for preparation of oily woods prior to coating. Part No. 5-13310 (750ml) Part No. 5-13311 (5Ltr)



For Hempel Cleaning Products see Pages 9 & 10



THINNERS

Paint can be thinned to improve its flow characteristics and to increase its ability to be absorbed. Care should be taken not to exceed the maximum recommended ratio of Thinners as this can adversely effect the product. Several products have a choice of Thinners depending on the application method to be used (i.e. brush, roller or spray).



**Note: In the case of 2 pack products, only the mixed product may be thinned.*

Thinner	750ml	5 Ltr	Description & Uses
No. 1	5-13300	5-13301	White spirit based thinners & tool cleaner for single pack paint and varnishes - brush, roller & spray applications. Use with Primer undercoat, Grey metallic wood primer, Underwater primer, Brilliant Enamel, Multicoat, Bilge & Locker Paint, Favourite, Classic, Dura-Gloss & Dura-Satin varnishes.
No. 2	5-13302	5-13303	Brushing thinners and tool cleaner for Polyurethane paint and varnish. For brush, roller or spray applications. Can be used with Polygloss*, Diamond Varnish* and Woodseal.
No. 3	5-13304	5-13305	Thinners and tool cleaner for antifoulings and deck paint. Use with all antifoulings on page 7, for brush, spray and roller applications. Deck paint (page 6) for brush & roller applications only.
No. 5	5-13306	5-13307	Thinners & Tool cleaner for epoxy products - brush, roller & spray. For Epoxy Primer undercoat and to clean tools before using Gel Protect SFE200 (must NOT be thinned).
No. 6	5-13308	5-13309	Spray thinners & tool cleaner for polyurethane paint & varnishes. For Polygloss & Diamond varnish spray. For Seatech varnish use water for thinning & tool cleaning.



DELIVERY

Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.




HEMPEL ANTIFOULINGS



ANTIFOULINGS

Choosing the correct antifouling or bottom coat is important. You should consider your boat type, geographic location, existing coating, sailing pattern and speed. In addition, it is important to bear in mind environmental and legislative issues in the area you apply the product and then sail. (See page 4 for Underwater and Antifouling primer)

The printing processes used in producing this colour chart do not allow exact colour reproduction and we recommend that you should check for accuracy before applying.



OCEAN PERFORMER

Ultimate performance and reduced product build-up from this strong 2 component erodible antifouling system. Containing enhancing booster additive *Ocean Active* it is designed to reduce antifouling build-up and give controlled and balanced film release, ensuring optimum performance in all waters. Mixed product has a 2 day pot life at 10°C. Suitable for all substrates except aluminium. For use below the waterline. Maximum launch time 2 months.

Colour	-	2.5 Ltr
Dove White	-	5-14002
Red	-	5-14004
Souvenirs	-	5-14008
True Blue	-	5-14010
Black	-	5-14012

Coverage: 13m²/l Thinners: No.3
Max Boat Speed: 15 knots

TIGER XTRA

High strength antifouling, developed to give that extra performance and is suitable for both power and sail. Just one coat can last the season. Applying a second coat for year round protection will give excellent and consistent long term protection under all conditions. Suitable for all substrates except aluminium. Maximum launch time 3 months.

Colour	750ml	2.5 Ltr
White	5-14101	5-14102
Red	5-14103	5-14104
Grey	-	5-14108
Green	-	5-14110
Souvenirs	-	5-14112
True Blue	5-14115	5-14116
Dark Blue	-	5-14118
Black	-	5-14120

Coverage: 13.5m²/l Thinners: No.3
Max Boat Speed: 25 knots

CRUISING PERFORMER

Specifically formulated to offer great all round performance, reducing paint build-up, maximizing cruising capability in all areas, whilst ensuring fouling is kept to a minimum. Excellent coverage rate and good colour stability. Suitable for all substrates except aluminium. Maximum launch time 3 months.

Colour	750ml	2.5 Ltr
Red	-	5-14202
Souvenirs	-	5-14204
True Blue	-	5-14208
Black	-	5-14210

Coverage: 12.5m²/l Thinners: No.3
Max Boat Speed: 15 knots

PROP PRIMER & MILLE DRIVE

Mill Drive is a new spray coat for the protection of propellers and outdrives. Can also be used as a quick primer for chock marks.

Colour	500ml
Prop Primer Grey	5-14800
Black	5-14802
Volvo Grey	5-14803



HARD RACING

High strength burnishable antifouling especially for powerboats, racing yachts & boats which are mud berthed. Suitable for all substrates except aluminium. Maximum launch time 3 months. For use below the waterline.

Colour	750ml	2.5 Ltr
White	5-14301	5-14302
Red	5-14303	5-14304
Green	-	5-14306
True Blue	5-14307	5-14308
Dark Blue	-	5-14310
Black	5-14311	5-14312
Ultimate White	-	5-14314

Coverage: 13.5m²/l Thinners: No.3
Boats Over: 20 knots

BROADS

Medium strength copper based antifouling for use in both freshwater & salt waters. Suitable for all substrates except aluminium. For use below the waterline. Maximum launch time 1 month.

Colour	750ml	2.5 Ltr
Red Brown	5-14401	5-14402
Green	-	5-14404
True Blue	5-14407	5-14408
Black	-	5-14410

Coverage: 12.8m²/l Thinners: No.3
Max Boat Speed: 10 knots

BOOTTOP

Strong scrubbable antifouling that will give bright colours on the waterline. Suitable for all substrates including aluminium once suitably primed. Maximum launch time 3 months.

Colour	375ml
White	5-14501
Red	5-14503
Volvo Grey	5-14507
True Blue	5-14509
Dark Blue	5-14510
Black	5-14511

Coverage: 13.8m²/l
Thinners: No.3

GLIDE SPEED

An exceptionally strong and hard antifouling containing TecCel for a smoother surface with reduced friction. Designed for power boats and racing yachts it will give increased speed and excellent protection throughout the season. TecCel contains a balanced combination of biocides and polytetrafluoroethylene giving significant improvements in through-water speed and performance. It is suitable for all substrates except aluminium. Maximum launch time 3 months.

Colour	750ml	2.5 Ltr
White	-	5-14602
Red	-	5-14604
Dark Blue	-	5-14608

Coverage: 13m²/l Thinners: No.3
Boats Over: 20 knots

Please see page 4 for Gel Protect SFE200 >>

DELIVERY
Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



HEMPEL FILLERS & EPOXY SYSTEMS



FILLERS & FAIRING

Filling & fairing will streamline the surface of your boat, giving improved through water performance from the hull & clean lines on the top side.

Filling - Filling is the application of a suitable filler product onto a surface to either fill a minor defect or to build a surface up to achieve a required profile.

Fairing - Once the filled area has cured fairing can be carried out. Fairing involves sanding the filler and surrounding surface to an even profile.

HEMPEL EPOXY FILLER

A two pack epoxy filler for use on wood, GRP and metal, above and below the waterline. No.5 Cleaner.



130ml tube
Part No. 5-19000



UNIFILLER

Single pack conventional filler for use when spot filling minor blemishes and screwheads above the waterline. No.3 Cleaner.

350g tube Part No. 5-19005



PRO FILLER

Two-component, lightweight solvent-free epoxy filler for profiling large areas and detailed fairing where structural strength is important. Use on most primed rigid substrates, above and below the waterline. No.5 Cleaner

5Ltr Part No. 5-19008



SP EPOXY SYSTEMS

Epoxy systems offer a combination of properties which make them ideal for boatbuilding. As adhesives they offer exceptional strength and as coatings they provide outstanding water and abrasion resistance.

SP HANDIPACK All purpose epoxy 2 part resin system complete with pump set, for repair work & small jobs providing a solvent free clear coating. For use on wood, metal, GRP, stone & concrete. Can be used as a strong glue or repair filler by adding Ancillary Kit (5-22000). Part No. 5-21001 (375ml)



SP MICROFIBRES

Fine wood cellulose fibres used to make strong adhesives. They absorb a significant amount of epoxy giving a rich general purpose high strength gluing solution. Part No. 5-21003 (0.1kg - approx 1 Litre)
Part No. 5-21004 (0.5kg - approx 5 Litres)



SP MICROBALLONS

Hollow, low density, resin spheres, which displace the resin & offer a lightweight, easy to sand glue. Reddish-brown in colour making them cosmetically suitable for gluing wood. Part No. 5-21005 (0.1kg - approx 1 Litre)
Part No. 5-21006 (0.3kg - approx 3 Litres)



SP GLASS BUBBLES

Hollow, white spheres which are physically hard & produce a very waterproof filler mix ideal for use below the waterline & where sanding performance & colour are not of prime importance. Part No. 5-21007 (0.12kg - approx 1.2 Litre)



SP COLLOIDAL SILICA

Fine powder which can be added to existing filler mixes to reduce "sag" & improve handling characteristics, making it particularly useful on vertical surfaces. Part No. 5-21009 (0.05kg - approx 500ml)
Part No. 5-21010 (0.25kg - approx 2.5Litres)

SP ANCILLARY KIT

Suitable for Handipack and 1kg packs, containing 2 reusable mixing pots, 1 pot colloidal silica, 1 pot microballons, 1 pot microfibres, 2 glue brushes, 2 mixing sticks, 2 pairs latex gloves, 1 metre glass tape. Part No. 5-22000



SP106 MULTI PURPOSE EPOXY

All purpose epoxy can be used unmodified as a protective primer coating or laminating system. Can be used on wood, metals and GRP. By using with SP Microfibres, Microballons, Glass Bubbles & Colloidal Silica it can be used as an adhesive or filler system.

Part No.	Hardener	Weight
5-22001	Fast	1kg (0.85kg resin & 0.15kg hardener)
5-22002	Slow	1kg (0.85kg resin & 0.15kg hardener)
5-22003	Fast	3.02kg (2.56kg resin & 0.46kg hardener)
5-22004	Slow	3.02kg (2.56kg resin & 0.46kg hardener)

SP 320 SOLVENT-FREE EPOXY COATING SYSTEM

SP 320 is a solvent-free, clear epoxy coating that provides a high clarity, tough finish to whatever it is applied to. When coating wood, just a few coats will provide both protection and a depth of clarity that can only otherwise be achieved with many more coats of conventional varnish.

The epoxy coating will protect most surfaces from moisture ingress, and will also add strength to soft wood surfaces. On horizontal surfaces, SP 320 may be poured on as a flow-coat, providing an instant, thick coating layer in one application.

Part No.	Hardener	Weight
5-22005	Fast	1kg
5-22006	Slow	1kg
5-22007	Fast	4kg
5-22008	Slow	4kg

SP SOLVENTS

Solvent	Part No.	Size	Description
A	5-23000	1Litre	Surface degreaser (fast epoxy solvent)
B	5-23002	1Litre	Tool Cleaner
C	5-23004	1Litre	Epoxy surface by-product remover

SP SUNDRY ITEMS

Part No.	Description
5-24002	SP Minipumps (for use with 1kg SP106)
5-24004	SP Maxipumps (for use with 3kg SP106)
5-24006	SP Reusable Mixing Pots
5-24008	SP Mixing Sticks (box of 100 sticks)





ANZA TOOLS

ANZA TOOLS

Anza are renowned through-out the world for their high quality paint application tools. A range of Anza tools have been chosen to help you with all your painting jobs.

ANZA BRUSHES

2000 General purpose brush for use with all types of paint and varnish. Totally synthetic fibres with soft treated tips.

Classic & Classic Oval For use with single pack paint and varnish products. High quality natural bristle, available with flat or oval head.

Elite & Elite Oval For use with all two pack paint, varnish and epoxy products. Soft mixture of natural and synthetic fibres, available with flat or oval head.

Brush Size	2000	Elite	Elite (oval)	Classic	Classic (oval)
25mm	5-18025	5-18125	5-18225	5-18325	5-18425
35mm	5-18035	5-18135	5-18235	5-18335	5-18435
45mm	-	-	5-18245	-	5-18445
50mm	5-18050	5-18150	5-18255	5-18350	-
70mm	5-18070	5-18170	-	5-18370	-
100mm	5-18100	5-18200	-	-	-



ANZA ROLLERS

Perfect Felt Rollers - General purpose roller suitable for all applications, especially GelProtect SFE200 & other epoxy products.



Width	Dia	Part No.	Frame
180mm	48mm	5-18718 (Maxi)	5-18750
150mm	38mm	5-18705 (Midi)	5-18760 or 5-18770
100mm	22mm	5-18710 (Mini)	5-18760 or 5-18770
150mm	22mm	5-18715 (Mini)	5-18760 or 5-18770

Mohair Mini Rollers - Ideal for all coatings but especially suitable for high build primers and undercoats.


Width	Dia	Part No.	Frame
100mm	22mm	5-18720	5-18760 or 5-18770
150mm	22mm	5-18725	5-18760 or 5-18770

Plastic Foam Rollers - Ideal for finishing coat applications.

Width	Dia	Part No.	Frame
100mm	34mm	5-18730	5-18760 or 5-18770
150mm	34mm	5-18735	5-18760 or 5-18770

ROLLER FRAMES

Roller Width	Part No.
180mm	5-18750
150/100mm	5-18760 (long)
150/100mm	5-18770 (short)



PAINT TRAYS & LINERS

Width	Capacity	Part No.	Liner Part No.
140mm	0.60L	5-18814	5-18815 (pack of 5)
180mm	0.80L	5-18818	5-18819 (pack of 5)



ANZA PAINT PADS & HANDLES

Suitable for all coatings especially laying off topcoat finishes. Either flat or concave replacement pads are available.



Pad Size	Part No.	Replacement (Flat) Pads
85 x 85mm	5-18850	5-18851
170 x 85mm	5-18870	5-18871

ANZA PAINT SCRAPERS

Scraper for removal of all types of paint. Reversible blade with an ergonomic polypropylene handle.



Blade Size	Part No.	Replacement Blade
30mm	5-18630	5-18632 (pair)
50mm	5-18650	5-18652 (pair)
65mm	5-18665	5-18667 (pair)

ANZA PRO-SCRAPER

Ergonomic polypropylene handle with high quality tungsten carbide blade.



Blade Size	Part No.	Replacement Blade
50mm	5-18670	5-18672 (pair)

ANZA SANDING CORK

Cork block for use when dry or wet abrading
Part No: 5-18699



TIP : When rolling with felt or mohair rollers, wrap masking tape around a new roller & then pull off to remove any loose hairs.



HEMPEL BOATCARE



PRE-CLEAN 1Ltr

High strength cleaner and degreaser to remove fuel, oil, grease, wax or silicone from gelcoat or painted surfaces.

Bulk Pack: 10 x 1Ltr bottles:

Part No. 5-24030

1 Litre bottle:

Part No. 5-24030/1 **X**



BOAT SHAMPOO 1Ltr

Concentrated solvent-free cleaner suitable for cleaning gelcoat, painted and varnished surfaces, as well as boat covers, tarpaulins and vinyl surfaces.

Bulk Pack: 10 x 1Ltr bottles:

Part No. 5-24031

1 Litre bottle:

Part No. 5-24031/1 **X**



CLEAN & SHINE SPRAY 1Ltr

(incl. hose adapter)

Concentrated wash and wax that effectively cleans, shines and leaves a protective coating in one application. Hose adapter included making it quick and easy to clean your boat. For use on all surfaces.

Bulk Pack: 10 x 1Ltr bottles:

Part No. 5-24032

1 Litre bottle: Part No. 5-24032/1 **X**

CLEANING SPRAY 500ml

Foaming cleaner spray, for removing marks and stains on gelcoat and painted surfaces over large areas.

Good for cleaning deposits from the waterline. Chemical process avoids the need to rub or scrub the surface.

Bulk Pack: 10 x 500ml bottles: Part No. 5-24033

500ml bottle: Part No. 5-24033/1 **X**



CLEANING GEL 500ml

High strength non-abrasive cleaning gel for removing rust & exhaust stains, waterline deposits and fender marks on gelcoat and painted surfaces over small areas. Does not run when applied to vertical surfaces. Chemical process avoids the need to rub or scrub the surface.

Bulk Pack: 10 x 500ml bottles: Part No. 5-24034

500ml bottle: Part No. 5-24034/1 **X**



CLEANING POWDER 750g

Strong, fine abrasive cleaning powder for removing tough deposits, stains and yellowing on gelcoat surfaces.

Removes freshwater or brackish water soil deposits from hulls and is particularly suitable for cleaning large areas such as non-slip decks.

Bulk Pack: 10 x 750g tub:

Part No. 5-24035

750g tub: Part No. 5-24035/1 **X**



RUBBING LIQUID 500ml

Fine abrasive rubbing compound to remove oxidation and light scratch marks from most surfaces, including aluminium. Restores and renews the gloss and colour to gelcoat and painted surfaces.

Bulk Pack: 10 x 500ml bottles:

Part No. 5-24036

500ml bottle:

Part No. 5-24036/1 **X**



CLEAN & SHINE 1Ltr

Concentrated wash and wax that effectively cleans, shines and leaves a protective coating in one application. For use on all surfaces.

Dilute up to 1 part Clean & Shine with 10 parts water.

Bulk Pack: 10 x 1Ltr bottles:

Part No. 5-24037

1 Litre bottle:

Part No. 5-24037/1 **X**



WAX 500ml

Liquid wax for use on gelcoat, painted and varnished surfaces leaving an extremely glossy UV protected finish.

Bulk Pack: 10 x 500ml bottles:

Part No. 5-24038

500ml bottle:

Part No. 5-24038/1 **X**



RIB CLEANER 500ml

Powerful, concentrated, solvent free cleaner and degreaser for RIB tubes and hulls, as well as other rubber and vinyl surfaces. Can be used with high pressure cleaning equipment.

Bulk Pack: 10 x 500ml bottles:

Part No. 5-24039

500ml bottle:

Part No. 5-24039/1 **X**



VINYL SHINE 500ml

A liquid gel, to condition and leave a transparent, UV protective layer on vinyl and other rubber surfaces, keeping the material soft and flexible with a smooth, water resistant effect to the surface.

Bulk Pack: 10 x 500ml bottles:

Part No. 5-24041

500ml bottle:

Part No. 5-24041/1 **X**



X DELIVERY
Unable to send via usual carriers due to vulnerability*.
Please contact your local Aquafax sales depot.
*(DOES NOT APPLY TO BULK PACKS)



HEMPEL BOATCARE



TEXTILE CLEAN 500ml

Concentrated cleaner and degreaser for boat covers, sprayhoods, tarpaulins and other cotton and nylon materials.

Bulk Pack: 10 x 500ml bottles:
Part No. 5-24042

500ml bottle:
Part No. 5-24042/1 **X**



TEXTILE PROTECT 1Ltr

Waterproof transparent protection for boat covers, sprayhoods, sails, tarpaulins and other cotton and nylon fabrics.

Bulk Pack: 10 x 1Ltr bottles:
Part No. 5-24043

1Ltr bottle:
Part No. 5-24043/1 **X**



ALU-PROTECT 500ml

Silicone free oil for cleaning and protecting aluminium masts and booms, steel and stainless steel rigging and fittings. Penetrates into wire ropes and under fittings, ensuring long term protection.

Bulk Pack: 10 x 500ml bottles:
Part No. 5-24044

500ml bottle:
Part No. 5-24044/1 **X**



WAX TecCel 500ml

Premium

Liquid wax with TecCel technology, for a long lasting, deep gloss, tough protective finish on gelcoat, painted and varnished surfaces.

Bulk Pack: 10 x 500ml bottles:
Part No. 5-24046

500ml bottle:
Part No. 5-24046/1 **X**




BILGE CLEANER

NEW

A user-friendly product which dissolves and emulsifies oil and grease, removes dirt and cleans the bilge leaving a fresh citrus odour. Also suitable for other areas where contaminants accumulate.

Bulk Pack: 10 x 1 Ltr bottles:
Part No. 5-24047

1 Ltr bottle:
Part No. 5-24047/1 **X**



BARNACLE REMOVER

NEW

Effectively removes barnacles using a combination of chemical and mechanical treatments. For use on outdrives, propellers, bottoms of boats and similar areas.

Bulk Pack: 10 x 500ml bottles:
Part No. 5-24048

500ml bottle:
Part No. 5-24048/1 **X**



MILDEW REMOVER

An easy-to-use product for the effective removal of mildew and stains without bleaching or discolouration. Does not destroy thread and canvas.

Bulk Pack: 10 x 1 Ltr bottles:
Part No. 5-24049

1 Ltr bottle: Part No. 5-24049/1 **X**



CUSTOM MARINE POLISH

Liquid polish which cleans, polishes and protects gelcoat, painted and varnished surfaces. Contains silicone which cures on the surface to create a protective barrier and a clear gloss.

Bulk Pack: 10 x 500ml bottles:
Part No. 5-24050

500ml bottle: Part No. 5-24050/1 **X**



MULTI-PURPOSE POLISH & CLEANER



PEEK MULTI-PURPOSE POLISH

- Cleans, polishes, restores and protects brass, copper, stainless steel, silver, gold, fibreglass, ceramics, glass, acrylics, painted surfaces and much more*
- Easy and economic to use leaving no residue, odour, cloth saturation or mess
- Removes oxidation, heat discolouration, water marks, corrosion, scale and leaves an anti-oxidant protective barrier
- Ideal for stainless steel pulpit rails, stanchions, port holes, winches and brass deck fittings
- Can be applied using a low speed buffer (under 1000rpm) for large areas

(Will not work on lacquered finishes.)



PEEK PASTE

Description Part No.
Bulk pack of 24 x 100ml tubes 5-90100
Single 100ml tube 5-90100/1



PEEK PASTE

Description Part No.
12 x 250ml cans 5-90101
Single 250ml can 5-90101/1



PEEK LIQUID

Description Part No.
10 x 250ml cans 5-90102
Single 250ml can 5-90102/1

PEEK SPRAY AWAY MULTI-PURPOSE FOAMING CLEANER

- A water based foaming cleaner developed for interior surfaces
- Quickly removes general grease and grime from many surfaces such as vinyl, leather, plastic, upholstery, carpets, wood, tiles and glass*
- Available in 400ml can

Description Part No.
12 x 400ml cans 5-90103
Single 400ml can 5-90103/1



*Caution: If you are unsure of the item you are going to clean, test on an inconspicuous area

X DELIVERY
Unable to send via usual carriers due vulnerability*. Please contact your local Aquafax sales depot.
*(DOES NOT APPLY TO BULK PACKS)

TETROSYL CLEANING & CONSUMABLES



TRIPLEWAX 100% COTTON POLISH CLOTHS

These Polishing Cloths have a super soft cotton construction which is highly absorbent and traps dirt and moisture with minimum effort. They are super soft so will not scratch any surface. Use to polish and give shine to paintwork, glass, dashboard, trim and wheels.

Description	Size	Box Qty	Part No.	Part No. Single
Polish Cloth	100g	12	5-50815	5-50815/1
Polish Cloth	400g	12	5-50816	5-50816/1

TRIPLEWAX SPONGES

Super absorbent sponges. The soft sponge holds water and removes dirt from paintwork, glass, trim, wheels and tyres. It has a large surface area for effective cleaning with minimum effort, and will not scratch.



Description	Box Qty	Part No.	Part No. Single
Jumbo Sponge	12	5-50820	5-50820/1
Large Sponge	12	5-50821	5-50821/1



TRIPLEWAX GENUINE CHAMOIS LEATHER

A natural product with unique properties allowing them to absorb up to 6 times their own weight in water, making them perfect for use on cars ensuring a dry, streak-free finish. Triplewax Genuine Chamois leathers are also ideal for polishing glass, windows, furniture and items of silver, leaving them dust free with a perfect shine.

All Triplewax Chamois leathers are made in England and are of the highest quality.

Description	Size	Box Qty	Part No.	Part No. Single
Jumbo Chamois	3.5sqft	12	5-50833	5-50833/1

TRIPLEWAX DUSTERS (Twin Pack)

Triplewax dusters have a traditional, soft absorbent finish making them ideal for trapping dust and polishing surfaces to a high shine.



Description	Box Qty	Part No.	Part No. Single
2x Yellow Dusters	12	5-50826	5-50826/1

TETRIION WHITE SPIRIT

A multi purpose solvent used for thinning paint and as a general surface cleaner in preparation for further coats of varnish or paint. Conforms to BS245.



Description	Part No.
12 x 750ml bottle	5-50057
Single 750ml bottle	5-50057/1

TETRIION BRUSH CLEANER

A water washable solution that effectively cleans most types of paint from brushes and rollers.



Description	Part No.
Case of 12 x 500ml	5-50059
500ml Single	5-50059/1

DE-IONISED DISTILLED WATER

De-ionised water prevents furring and scale formulation in batteries.



Description	Part No.
12 x 1 Litre bottle	5-50060
Single 1 Litre bottle	5-50060/1



TETRIION MOISTURE MATE

Helps prevent condensation, damp and mildew. Safe, simple and effective comes with refillable plastic tray.



Description	Part No.
Pack of 6 complete	5-50495
Single unit complete	5-50495/1
Refills only. Pack of 12	5-50496
Single Refill	5-50496/1



POWERBOND SUPER GLUE

Powerbond Super Glue is a high quality & fast bonding adhesive, suitable for use on a wide range of surfaces including rubber, metals, ceramics, leather, wood, card & most plastics.

5g tube

Bulk Pack of 12: Part No. 5-50491
Single (each): Part No. 5-50491/1

UNIMASK TACK RAGS (10PK)

A professional grade tack rag removes all particles of dust and fluff leaving a clean surface ready for coating.

Description	Part No.
20 packs of 10	5-50818
Single pack	5-50818/1



DISPOSABLE LATEX GLOVES

Ambidextrous, lightly powdered, non-sterile latex gloves.


Description	Part No.
50 Pairs (Large)	5-50836



X DELIVERY
Unable to send via carrier. Please contact your local Aquafax sales depot for delivery methods.



TEAMAC TOPCOATS



Teamac Marine Coatings (incorporating Coo-var)

Teal & Mackrill Ltd. was established in 1908 as manufacturers of marine and industrial coatings. Based near the sea the company has developed a full and comprehensive range of paints for ships and leisure vessels, designed to provide protection in harsh environments.



MARINE GLOSS

A top quality marine coating. Has excellent opacity and high gloss finish. Suitable for all general marine areas, bridge fronts, deckwork, masts, superstructures etc. Has excellent adhesion. *Suitable for metal, wood or glassfibre.*



2 PACK POLYURETHANE GLOSS



A high performance 2 pack top coat for excellent protection and durability. Gives top quality protection of the surface. (Apply direct to GRP surfaces for a finish). *Suitable for metal, wood or GRP.*

Colour	1 litre	2.5 litre	Undercoat
White	5-80001	5-80002	White
Ivory White	5-80008	-	White
Magnolia	5-80014	-	White
Buttermilk	5-80020	-	White
Regency Cream	5-80026	-	White
Bamboo	5-80032	-	White
Canary	5-80050	5-80051	Primrose
Golden Yellow	5-80056	-	Primrose
Flamborough Orange	5-80104	-	Primrose
Red Oxide	5-80110	5-80111	Red
Signal Red	5-80116	5-80117	Red
Bounty	5-80140	5-80141	Red
Seine Net Blue	5-80158	-	White
Artic Blue	5-80164	-	White
Regatta Blue	5-80170	5-80171	Light Grey
Middle Blue	5-80182	-	Light Grey
Kingfisher	5-80188	-	Light Grey
Oxford Blue	5-80206	5-80207	Light Grey
Royal Blue	5-80212	5-80213	Light Grey
Silver Grey	5-80218	-	Light Grey
Aircraft Grey	5-80230	-	Light Grey
Light Grey	5-80235	5-80236	Light Grey
Black*	5-80249	5-80250	Light Grey
Sea Green	5-80261	-	White
Senator Green	-	5-80268	Light Grey
Grass Green	5-80273	5-80274	White
Navy Green	5-80279	5-80280	White
Emerald Green	5-80285	-	Light Grey
Deep Bronze	5-80303	-	Light Grey

Colour	1 litre	Undercoat
White	5-80310	Use 5-80470 on steel
Regency Cream	5-80312	Use 5-80470 on steel
P. O. Red	5-80316	Use 5-80466 on steel
Artic Blue	5-80318	Use 5-80470 on steel
Oxford Blue	5-80320	Use 5-80470 on steel
Black	5-80322	Use 5-80470 on steel
Cypress Green	5-80324	Use 5-80470 on steel



MARINE UNDERCOAT

A high opacity undercoat with good flow characteristics for use with Marine Gloss either as a foundation coating or when a colour change is desired. *For use on metal and wood.*

Colour	1 litre	2.5 litre
White	5-80401	5-80402
Primrose	5-80407	5-80408
Red	5-80419	5-80420
Light Grey	5-80426	5-80427

Part No.s in Red = To Order Only

For Brushes, Rollers, Trays, Scrapers and other painting accessories see Pages 8 & 15


*5 Litre Tin of Black available to order **Part No. 5-80251**

The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying



X DELIVERY
Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.

TEAMAC PRIMERS



WOOD PRIMER

A high quality wood primer for inside and outside use. Penetrates and primes all timbers.

1 ltr - Part No. 5-80441
2.5 ltr - Part No. 5-80442



ALUMINIUM WOOD PRIMER

A top quality primer suitable for all timbers especially high resinous types. Resists resin staining and blistering of topcoat.

1 ltr - Part No. 5-80445
2.5 ltr - Part No. 5-80446



PATENT KNOTTING PRIMER

Helps prevent resins in the wood from affecting the finished paint film. Designed for use on most resinous timbers, it should be applied before painting and can be used inside and outside.

250ml - Part No. 5-80447



METACLOR UNDERWATER PRIMER

A multi-purpose underwater primer offering good resistance protection. Can be used above and below the waterline to provide excellent protection. For wood or metal. Ideal for use with antifoulings.

1 ltr - Part No. 5-80450
2.5 ltr - Part No. 5-80451



RED OXIDE PRIMER

A coating based upon iron oxide for use upon structural steelwork, iron, metalwork etc. Good coverage and high opacity. Contains no added lead. Can be applied direct to the metal surface and used coat on coat as a finish.

1 ltr - Part No. 5-80455
2.5 ltr - Part No. 5-80456
5 ltr - Part No. 5-80457



See page 14 for Teamac Antifoulings

ZINC PHOSPHATE METAL PRIMER

A good anti-corrosive primer for use on metal surfaces in preparation for subsequent topcoats.



Colour	1 litre	2.5 litre
Red	5-80459	5-80460
Grey	5-80462	5-80463

Epidox 2pk Zinc Phosphate Primer 5Ltr Grey - Available to order - Part No. 5-80474

COO-VAR ALL METAL PRIMER

Quick drying primer based on water thinned resins and is suitable for use inside and outside. Use on iron, steel galvanised surfaces, aluminium, brass, copper and many more.



Colour	1 litre
Red	5-80466
Grey	5-80470


ZINC RICH PRIMER

A primer for iron and steel. It contains a very high concentration of metallic zinc and allows conductivity in the dried film. The zinc coating gives cathodic protection to the metal. A form of cold galvanising.

500ml - Part No. 5-80482
1 ltr - Part No. 5-80483



HULL COATINGS & SPECIALIST PAINTS



HULL COATINGS



BLACK TAR VARNISH

A tar based coating for marine uses. Suitable for metal, wood or concrete

5 Litre tin - Part No. 5-80490
25 Litre tin - Part No. 5-80491

'METALASTIC' BLACK BITUMOUS PAINT

A high quality, bitumous paint for marine uses.

Suitable for metal, wood or concrete

5 Litre tin - Part No. 5-80494
25 Litre tin - Part No. 5-80495



EXTRA BRILLIANT ALUMINIUM PAINT

An extra brilliant silver paint having good light reflective properties and resistant to heat (150 °C).

1 ltr - Part No. 5-80485




'CHLORVAR' CHLORINATED RUBBER PAINT

For the protection of surfaces subject to severe atmospheric pollution or chemical attack. Offers outstanding protection against a wide range of chemicals and aqueous solutions, particularly acids.

Suitable for metal or concrete.



Colour	5 litre
White	5-80496
Black	5-80497
Blue	5-80498



Part No.s in Red = To Order Only




DELIVERY

Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



TEAMAC ANTIFOULINGS



ANTIFOULING D



A physically abrasive antifouling containing a fully approved blend of biocides offering excellent antifouling performance. Boat speeds of 20-25 knots maximum.

For use on metal, wood or glassfibre.

Colour	1 litre	2.5 litre	5 Litre
Blue	5-80503	5-80504	–
Green	5-80509	5-80510	–
Grey	5-80515	5-80516	–
Black	5-80521	5-80522	–
Red	5-80527	5-80528	5-80529

TROPICAL KILLER ANTIFOULING



An economical copper based antifouling which provides a scrubable surface for seasonal protection. Boat speeds up to 25-30 knots.

For use on metal, wood or glassfibre.

Colour	1 litre	2.5 litre	5 Litre
Blue	5-80540	5-80541	–
Black	5-80546	5-80547	5-80548
Red	5-80552	5-80553	5-80554

ANTIFOULING A



The A type gives very good antifouling on all hulls including aluminium.

Suitable for domestic & commercial vessels with aluminium, steel, wood or GRP Hulls.

Colour	1 litre	2.5 litre
Black	5-80560	5-80561
Blue	5-80564	5-80565
Red	5-80568	5-80569
White	5-80572	5-80573

BOOTTOPPING



Used as the interface coating between the waterline and the Deck coatings.

Provides a hard surface less receptive to marine growth and polishable to remove "grime".


Colour	1 litre
Blue	5-80591
Grey	5-80595
Black	5-80597
Red	5-80599

The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying.

Note: Antifouling colours may change slightly when immersed.



TEAMAC VARNISHES & DECK PAINT



COO-VAR POLYURETHANE VARNISH

Formulated from a 'single pack' alkyd urethane resin, which once dry provides a clear, hard durable finish for interior wood surfaces.

It has exceptional resistance to heat and abrasion, alcohol and dilute acid.



Finish	500ml	1 litre	2.5 litre
Gloss	5-80605	5-80606	5-80607
Eggshell	5-80610	5-80611	–
Matt	5-80615	5-80616	–

TEAMAC YACHT VARNISH

A high gloss, high quality marine varnish. Contains no added lead. For use as a high build finish for prepared and sealed timber, or on existing paintwork for a higher gloss finish.



Colour	500ml	1 litre	2.5 litre
Clear	5-80600	5-80601	5-80602

COO-VAR GLOCOTE

This Fluorescent Paint is a high visibility, day time coating or under lights at night to identify a hazards or safety equipment such as fire extinguishers and exits.

Colour	500ml	1 litre
Red	5-80684	5-80685

Part No.s in Red = To Order Only




'SUREGRIP' ANTI-SLIP DECK PAINT

A ready prepared liquid coating containing coarse aggregates. Dries to a hard anti-slip finish.

Suitable for metal, wood or glassfibre.

Colour	1 litre	2.5 litre
White	5-80700	5-80701
Yellow	5-80706	5-80707
Red	5-80712	5-80713
CF. Blue	5-80718	5-80719
Lt Grey	5-80724	5-80725
Grey	5-80730	5-80731
Black	5-80733	5-80734
Green	5-80736	5-80737



The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying.

TEAMAC SMOOTH DECK PAINT

A conventional, durable protective coating for wood and metal decks.


Colour	5 Litre
Light Grey	5-80747

Part No.s in Red = To Order Only



X DELIVERY
Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.

TEAMAC BILGE PAINT, THINNERS & DEGREASERS



BILGE PAINT

Provides protection for the inside surfaces of the hull below the waterline.
Suitable for metal, wood or glassfibre.



Colour	1 litre	2.5 litre
White	5-80760	5-80761
Red	5-80766	5-80767
Grey	5-80772	5-80773
Oyster Grey	5-80775	5-80776



Part No.s in Red = To Order Only

The printing processes used in producing this colour chart do not allow exact colour reproduction & we recommend that you should check for accuracy before applying.



TEAMAC CARDBOARD DISPLAY

FREE with 16 x 2.5L of Teamac Paint

Part No. 5-80499

PLEASE CHECK FOR AVAILABILITY

THINNERS



Description	Uses	500ml	1 litre	2.5 Litre
V/607/14 Thinners	Teamac Marine Gloss, Undercoat & Primers	-	5-80800	5-80801
Q607/7 Thinners	Teamac Polyurethane P101 Gloss	5-80803	5-80804	-
V/607/17 Thinners	Teamac Antifouling Paint	-	5-80806	5-80807
V/607/15 Thinners	Teamac Chlorinated Rubber Paint	-	-	5-80810

SURFACE DEGREASER



Powerful cleaner and degreaser for removing oil patches etc. from decks, metalwork and floors prior to painting. Can be used inside and outside.

1 ltr - Part No. 5-80815

2.5 ltr - Part No. 5-80816



5-80815



5-80806



5-80801

BUDGET BRUSHES & PAINTING ACCESSORIES



5-50003



5-50005



5-50010



5-50012



5-50016



5-50028



5-50015



5-50023
5-50024

Part No.	Description
5-50003	1" Budget Paint Brush
5-50005	2" Budget Paint Brush
5-50010	Budget Paint Brush Set (5 assorted)
5-50012	4" Mini Simulated Sheepskin Roller Set
5-50015	Mini Paint Roller Extension Pole 1 - 2m (fits 5-50012)
5-50016	7" Mopile Budget Roller Set (roller, roller frame & tray)
5-50023	Disposable White Overalls, Large
5-50024	Disposable White Overalls, X-Large
5-50027	Safety Goggles
5-50028	Dust Mask (non approved) per 10



5-50027

PAINT ACCESSORY KITS

Each kit contains:

1 x 5-50010	Budget Paint Brush Set
1 x 5-50016	7" Mopile Budget Roller Set
1 x 5-50023	Disposable White overalls*
1 x 5-50028/1	Dust Mask (non approved)
5 x 5-50836	Disposable latex gloves

Description	Part No.
Paint Accessory Kit (Large)	5-50030K
Paint Accessory Kit (X-Large)	5-50031K

*Overalls are Large or X-Large depending on kit ordered



DELIVERY

Due to most carriers refusing to accept paint please contact your local Aquafax sales depot.



Geocel®

DOW CORNING

GEOCEL® MARINE SILICONE SEALANT

A silicone rubber sealant that fills and caulks gaps, joints and cracks around the boat. Ideal for sealing fittings on decks and bulkheads including hatches, portlights and windows providing a watertight seal.

Part No.	Box Qty	Colour
5-70000	6 x 78g Injector	Clear
5-70000/1	78g Injector	Clear
5-70001	6 x 78g Injector	White
5-70001/1	78g Injector	White
5-70002	6 x 78g Injector	Black
5-70002/1	78g Injector	Black
5-70010	12 x 310ml Cartridge	Clear
5-70010/1	310ml Cartridge	Clear
5-70011	12 x 310ml Cartridge	White
5-70011/1	310ml Cartridge	White
5-70012	12 x 310ml Cartridge	Black
5-70012/1	310ml Cartridge	Black

GEOCEL® FIRE BLOCK SEAL

High Temperature Resistant Sealant

A ready mixed and ready to use new generation fire cement that will withstand temperatures up to 1500°C. Suitable for sealing joints on solid fuel stove flues.

Bulk Pack: 12 x 310ml cartridges: **Part No. 5-70020**

Single: 310ml cartridge: **Part No. 5-70020/1**

GEOCEL® SILICONE SEALANT REMOVER

A gel for removing unwanted cured silicone sealant. It is therefore, ideal for the refurbishment of sanitaryware, door or window frames, worktops etc. It is also suitable for removing cured silicone where product has been mistakenly applied.

100ml tube: **Part No. 5-70028**

GEOCEL® UNIVERSAL CLEANING WIPES

Ideal for wiping away excess uncured silicone and other sealants as well as dirt, oil and grease.

Tub of 150 wipes: **Part No. 5-70029**

GEOCEL® TRADE MATE SILICONE PLUMBA FLUE

High Temperature Silicone Sealant

A one component, high temperature acetoxysilicone sealant suitable for use on non-porous surfaces and ideal for sealing gas flues. Once cured, Trade Mate Plumba Flue is able to withstand temperatures of up to 300°C for short term exposure and 250°C for long term exposure. It also meets the requirements of FDA Regulation No.21CFR177.2600 for use in areas where food contact is likely, eg when installing an Aga Range Cooker.

Suitable for sealing gas flue and chimney terminals.

Bulk Pack: 12 x 310ml cartridges: **Part No. 5-70030**

Single: 310ml cartridge: **Part No. 5-70030/1**

DOW CORNING® 785+

Bacteriostatic Sanitary Silicone Sealant

Protects against bacteria growth, MRSA, E. Coli and Salmonella. It is a one component silicone sealant that gives excellent adhesion to most non-porous surfaces.

The product contains fungicide to resist mould growth and provides a water resistant hygienic seal around sanitary fittings.

Bulk Pack: 12 x 310ml cartridges (white): **Part No. 5-70032**

Single: 310ml cartridge (white): **Part No. 5-70032/1**

GEOCEL JOINERS MATE® LIQUID

Liquid Wood Adhesive

This wood adhesive is a one part, rapid curing, water resistant polyurethane adhesive for joiners. It is a moisture curing liquid, which expands slightly to increase bite strength.

Bonds wood, metal and various plastics.

Bulk Pack: 6 x 500ml bottles: **Part No. 5-70035**

Single: 500ml bottle: **Part No. 5-70035/1**



SEALANTS & ASSOCIATED PRODUCTS

NEW



GEOCEL JOINERS MATE® 5

5 Minute Rapid Wood Adhesive

This rapid wood adhesive is a clear one part moisture curing wood adhesive, which sets hard in 5 minutes. It is a thixotropic gel with exceptionally high bond strength, resistant to most chemicals, and 100% seawater proof. Bonds wood, metal and various plastics.

Bulk Pack: 12 x 310ml cartridges: **Part No. 5-70036**

Single: 310ml cartridge: **Part No. 5-70036/1**

GEOCEL JOINERS MATE® MITRE BOND

Instant Bonding System

A two part professional instant bonding system comprising of an adhesive and aerosol activator. It is simple to use and bonds in 10 seconds. Bonds MDF, wood, rubber, metal and most plastics.

Bulk Pack: 6 x 50g adhesive with 200ml activator: **Part No. 5-70038**

Single: 50g adhesive with 200ml activator: **Part No. 5-70038/1**

GEOCEL® THEWORKS SEALANT ADHESIVE

With theWORKS sealant adhesive you can manage all kinds of jobs impossible with traditional solvent or water based adhesives. Apply theWORKS in wet or dry conditions on virtually any substrate and get a secure fix and seal quickly and easily – there's no shrinkage, no staining, no solvents and no need for additional fixings for most applications. It resists mould growth, is flexible and over paintable with water based paint. Has excellent UV Resistance.

Part No.	Box Qty	Colour
5-70040	6 x 290ml Cartridge	Clear
5-70040/1	290ml Cartridge	Clear
5-70041	6 x 290ml Cartridge	White
5-70041/1	290ml Cartridge	White

GEOCEL QUICKGRIP™ SUPERGRAB

Solvent Free Multipurpose Gap Filling Adhesive

A solvent free multipurpose gap filling adhesive which is suitable for bonding most porous and non-porous surfaces, including; many plastics, wood, concrete, brick, plasterboard and carpet. Suitable for external use.

Bulk Pack: 12 x 380ml cartridges: **Part No. 5-70042**

Single: 380ml cartridge: **Part No. 5-70042/1**

GEOCEL® TOP GUN ALL PURPOSE SILICONE SEALANT

Ideal for a variety of sealing jobs for both interior and exterior applications. It has excellent adhesion, gives a watertight seal and remains permanently flexible. TOP GUN® All Purpose Silicone Sealant is safe and easy to apply, prevents mould growth and gives an excellent finish.

Part No.	Box Qty	Colour
5-70043	6 x 290ml Cartridge	White
5-70043/1	290ml Cartridge	White
5-70044	6 x 290ml Cartridge	Clear
5-70044/1	290ml Cartridge	Clear

SPARE NOZZLES

Part No. 15-70000-1 fits all Geocel cartridges apart from 5-70042 (Quickgrip Supergrab) - Part No. 15-70042-1 fits the Supergrab cartridge.



For cartridge gun see page 19



POLYURETHANE SEALANTS

SEALANTS COVERAGE CHART

(for 310ml Cartridges)

		WIDTH			
		3mm	5mm	9mm	12mm
DEPTH	3mm	34.4	20.7	11.5	8.6
	5mm		12.4	6.9	5.2
	9mm			3.8	2.9
	12mm				2.1

Estimated average figures only. Coverage will vary with materials, application techniques & environmental conditions. Sealant coverage in metres.

Technical Specifications	Korapur	Rallithane 810
Application Temp.:	5°C to 35°C	5°C to 35°C
Service Temp.:	-40°C to +90°C	-40°C to +90°C
Skin (Tack Free) Time*:	45 mins*	30 – 60 minutes*
Cure Rate (24 hours):	approx 3mm	3mm
Hardness (Shore A):	approx 45	40 – 45
Tensile Strength:	approx 2.0N/mm ²	–
Volume Change:	approx 6%	–
Elongation at Break:	approx 450%	–
Shelf Life:	9 months	9 months
Storage Conditions:	Store Dry at 5°C to 25°C	Store Dry at 5°C to 25°C

*Standard Conditions: 23°C & 50% Relative Humidity

KORAPUR MARINE ONE PART PAINTABLE POLYURETHANE SEALANT / ADHESIVE

Korapur Marine is a single component polyurethane sealant and adhesive that has been designed to meet a variety of needs within the marine industry. Ideally suited for sealing hulls, windows and portholes as well as bedding in removable deck fittings.

An excellent adhesive, it is suitable for most marine substrates such as aluminium, plywood, glass, GRP and wood and can also be used for reducing vibrations. To ensure maximum adhesion the use of primers is recommended. **Korapur Marine is NOT recommended for deck caulking applications.**

The material cures by reaction with atmospheric moisture to form a high performance, permanently flexible sealant and adhesive. Skin and cure times are dependent on humidity and temperature, with increased levels producing a faster reaction.



APPLICATIONS

- **Bonding:** Hull to deck assembly (GRP), deck to GRP hull, deck aluminium, skin fittings and bulkheads
- **Sealing:** Joints above waterline, hatches, sanitary fittings, galley fittings, clear and toughened glass, portholes to GRP hulls, S/S frames to GRP/wood, bulkheads, deck to cabin (GRP)
- For cleaning tools we recommend Korasolv PU (5-70147)
- To increase bond strength on non-porus substrates such as GRP, aluminium, stainless steel etc. we recommend primer Korabond HG73 (5-70145)
- For porous substrates such as wood, concrete, Ralliprime 160 (5-70139) is recommended

FEATURES

- Fast cure
- Excellent sea water resistance
- Permanently flexible
- Low odour & low shrinkage
- Non slumping
- Non-staining & non-toxic
- Over paintable with most types of marine paints

Description	Colour	Size	Box Qty	Part No.	P/No. Single
Polyurethane Sealant	White	310ml	12	5-70120	5-70120/1
Polyurethane Sealant	Black	310ml	12	5-70121	5-70121/1

RALLITHANE 810 HIGH MODULAS ONE PART POLYURETHANE SEALANT/ADHESIVE

- Fast Cure
- Permanent Flexibility
- Resistant to Biodegradation
- Can be painted
- Used as a bedding compound in marine applications
- Single pack – easy application
- Conforms to ISO-11600-F-20 HM
- High resilience for heavily trafficked floors

Description	Colour	Size	Box Qty	Part No.	P/No. Single
Rallithane 810	Black	310ml	12	5-70131	5-70131/1



3M POLYURETHANE SEALANTS/ADHESIVES



4200 FC ONE-PART ADHESIVE SEALANT

REMOVEABLE

A one-part general all-purpose polyurethane that chemically reacts with moisture to delivery flexible bonds with good adhesion to wood, fibreglass, gelcoat, plastics and metals. Paintable and sandable. Forms watertight, weather-resistant seals on joints and boat hardware above or below the waterline.

Size: 310ml
Curing Time: 1 Day
Tack Free: 2 hours
Box Qty: 12 cartridges

Description	Colour	Box Qty	Part No.	P/No. Single
All Purpose Sealant	White	12	5-06560	5-06560/1
All Purpose Sealant	Black	12	5-06564	5-06564/1

Note: Not recommended for sealing wood decks because it may be permanently softened by certain teak cleaners or sealers.



5200 FC MARINE ADHESIVE SEALANT

UNREMOVEABLE

This fast-curing high-performance polyurethane becomes tack free in one hour and fully cures in approximately 24 hours. The seal is extremely strong, retains its strength above or below the waterline. It stays flexible too - allowing for structural movement. Stress caused by shock, vibration, swelling or shrinking is effectively absorbed. Has excellent resistance to weathering and salt water.

Size: 295ml
Curing Time: 1 Day
Tack Free: 1 hour
Box Qty: 12 cartridges

Description	Colour	Box Qty	Part No.	P/No. Single
Adhesive Sealant	White	12	5-06520	5-06520/1



SILICONE SEALANTS

RALLISIL 910 SILICONE SEALANT/ADHESIVE

High modulus, one-part silicone sealant to BS 5889 Part B

Rallsil Products are single part room temperature vulcanising silicone rubber sealants which are easy to apply over a wide temperature range and cure rapidly on exposure to air to become a resilient rubber with outstanding weathering resistance.

Rallsil products do not support combustion.

- Permanent flexibility
- Excellent weather & chemical resistance
- Tools can be cleaned using Korasolv PU (5-70147) below

Rallsil 910 Applications

- Glazing glass to metal frames
- Sealing around sanitary fittings
- General sealing above waterline



Technical Specifications	Rallsil 910
Base Polymer:	Silicone Rubber
Storage Conditions:	Store dry @ between 5°C & 30°C
Shelf Life:	12 months in unopened containers
Hardness (Shore 'A'):	16 - 22
Application Temperature:	-20°C to +50°C
Service Temperature:	-40°C to +180°C
Cure Time @ 23°C/50% RH:	Approximately 7 days
Anticipated Life:	>20 years
Resistance to water:	Excellent
Resistance to chemicals:	Excellent with dilute acids & alkalis
Flammability:	Does not support combustion
UV Resistance:	Excellent
Movement Accommodation:	30% - butt joint, 60% - lap joint
Tack Free Time:	10 - 20 minutes @ 23°C
Box Qty:	25 cartridges




Description	Colour	Size	Box Qty	Part No.	P/No. Single
Rallsil 910	Translucent	310ml	25	5-70104	5-70104/1
Rallsil 910	White	310ml	25	5-70105	5-70105/1

3M™ FIRE BARRIER SILICONE SEALANT

The 1000 N/S is a fire stopping watertight sealant for fire rated walls, floors, bulkheads and deck penetrations

- High quality non-sagging formula
- Cures upon exposure to atmospheric humidity to form a permanent flexible seal
- Specifically recommended as part of the Marine Fire Protection system (Marine Fire Wrap) for Shipbuilding
- Application Temp: 800°C Max
- Service Temp: -51°C to 149°C
- Colour: Light Grey
- UL Firestop rating up to 3 hours



Part No.	Cartridge Size	Quantity
5-01000	298ml	Box of 12 cartridges
5-01000/1	298ml	Each

SEALANT PRIMERS & CARTRIDGE GUN

KORABOND HG73 SEALANT PRIMER

Primer for the pre-treatment of coated surfaces, glass, ceramics & stainless steel as a basis for subsequent bonding.

1Lt Part No. 5-70145



KORASOLV PU SEALANT CLEANER

Cleaning agent for sealants.

1Lt Part No. 5-70147

WEXFORD STEEL CARTRIDGE GUN

Overall length: 370mm
Cartridge length: 255mm (10")
Part No. 5-70200



RALLIPRIME 160 / POROUS PRIMER



HANDLING PRECAUTIONS

All primers are highly flammable (flash point 24°C) and should, therefore, be used in well ventilated areas and away from naked flames. Primers should be stored away from direct sources of heat or sunlight.

For use with polyurethane sealants on absorbent surfaces

Part No.	Description	Size
5-70139	Ralliprime 160 Primer Tin	1 litre

Recommended for use with Rallithane 810 on untreated & stained timber.

Used to seal porous surfaces prior to application of polyurethanes. Surfaces should be free from dirt and grease. Should be brush applied. Drying time 60 minutes.

For use on: Concrete, stone and hard woods*

*degrease naturally oily woods e.g. Teak, Mahogany, Iroko with Acetone or ethyl acetate before using porous primer. This is a guide only and a small area should be tested.



DELIVERY

Unable to send via carrier. Contact your local Aquafax sales depot for alternative delivery methods.



LANOLIN PRODUCTS

LANOTEC LUBRICANTS, CLEANING & PROTECTION

Lanotec Lanolin products are a unique natural product range that provides a long term barrier against the destructive effects of moisture, saltwater and acid corrosion. Also, included in the product range is a powerful industrial strength cleaner and degreaser. Lanotec products are environmentally friendly, biodegradable, non-carcinogenic and non-toxic.



LANOTEC GENERAL PURPOSE LIQUID LANOLIN

- Suitable for general lubrication & protection
- Inhibits crystallisation, electrolysis and oxidation
- Penetrates, frees and lubricates corroded parts
- Anti-spatter, cutting and drilling aid
- Cable lubrication
- Ideal for protecting components in storage

Corrosion protection for:

- Electrical cabinets, locks and hinges
- Circuit boards, PC boards and ECU's (non-conductive up to 70kV)
- Internals of air-conditioning units
- Connection points and terminals



Description	Part No.	Description	Part No.
12 x 400g Aerosols	5-24100	12 x 750ml Spray bottles	5-24102
Single 400g Aerosol	5-24100/1	Single 750ml Spray bottle	5-24102/1

LANOTEC CITRA FORCE

Lanotec's Citra Force is an incredibly powerful, concentrated, water miscible natural cleaner and degreaser. Ideal for workshop use.

- Removes all grease, tar, oils and wax
- Removes adhesive, sticker glues and silicone
- Cleans bathtubs, showers and sinks
- Removes oils and stains out of concrete
- Cleans electrical and electronic components (Citra Force is non-conductive up to 30kV)
- Cleans and shines aluminium and stainless steel
- Decarbonising of electric motors and generators
- Cleans workshop floors
- Works as a quick break degreaser



Description	Part No.	Description	Part No.
12 x 400g Aerosols	5-24104	12 x 1L bottles	5-24106
Single 400g Aerosol	5-24104/1	Single 1L bottle	5-24106/1

LANOTEC HEAVY DUTY LIQUID LANOLIN

- Provides excellent protection and lubrication of hard wearing, heavy use equipment
- Repels salt, moisture, and acids in highly corrosive environments
- Non conductive to 70kV
- Corrosion protection of electric motors in highly corrosive environments
- Suitable for all marine electrics, battery boxes, connectors, terminals and buzz bars

Lubrication protection for:

- Load bearing chains, wires, anchors and anchor lockers
- Boat trailer frames, springs and wheels



Description	Part No.
12 x 400g Aerosols	5-24108
Single 400g Aerosol	5-24108/1

LANOTEC "A" TYPE GREASE

- Food grade non-conductive to 70kV
- Stops electrolysis due to dissimilar metals
- Non perishing to rubber 'O' rings and seals
- Ideal for multi-pole connectors and multi pin plugs to provide a moisture tight fitting and stop wires from fracturing
- A potable water grease
- Prevents galling of stainless steel and aluminium
- Anti-seize to threaded rod, nuts, bolts, shackles, turnbuckles, chain and wire rope



Description	Part No.
12 x 500ml tubs	5-24110
Single tub	5-24110/1

Not to be used inside bearings

LANOTEC LANOLIN TIMBER SEAL

Lanotec Lanolin Timber Seal is ideal for external decking and structural timbers, for treating or restoring doors, windows and furniture (not lacquered), both internal and external.

- Weather proofs timber
- Highlights natural grain
- Prevents drying, splitting and end grain swelling

- Penetrates and preserves
- Reduces slip on timber decks
- Easy to apply with good coverage
- Repels water
- Acid and salt water resistant
- Prevents corrosion of fastenings
- Safe to apply in environmentally sensitive locations

Coverage:

New Hardwood: approx 10-15m²/L
 New Softwood: approx 8-10m²/L
 Old Hardwood: approx 8-10m²/L
 Old Softwood: approx 6-8m²/L

Description	Part No.
12 x 1L Bottles	5-24112
Single 1L Bottle	5-24112/1



LANOCOTE® – CORROSION CONTROL



- Prevents thread freeze-up
- Prevents electrolysis corrosion
- Seals porous surfaces
- Neutralizes acids, alkalis, salts

Lanocote® 4oz jar
 Part No. 5-77791

Lanocote® is the choice of marine professionals for long term corrosion control. It is extremely effective in preventing and stopping corrosion on all types of metals under all environmental conditions.

Formulated to withstand salt water marine conditions, Lanocote® is particularly useful in preventing thread seizure due to all types of corrosion on boats and machinery. Applied during assembly, Lanocote® will greatly assist in easy dismantling years later.

CONSUMABLES

STANKEM TOILET FLUIDS

Suitable for all cassette toilets, chemical toilets and toilet system holding tanks, our toilet fluids range help to keep your holding tank clean and get rid of unwanted smells.



Description	Size	Usage	Part No.
Green (non-toxic) concentrate toilet fluid	1 Ltr	Use 75ml per 10L holding tank capacity	5-40100
Blue concentrated toilet fluid	1 Ltr	Use 60ml per 20L holding tank capacity	5-40101
Perfumed toilet blue fluid	2.5 Ltr	Use 60ml per 10L holding tank capacity	5-40102
Perfumed toilet blue fluid	5 Ltr	Use 60ml per 10L holding tank capacity	5-40104
Perfumed toilet blue sachets	5x 40g	Use 1 sachet per 20L holding tank capacity	5-40105
Loo Fresh top tank additive	1 Ltr	Use 60ml per 10L holding tank capacity	5-40110

FUEL CANS

5 LITRE TETRA FUEL CANS

The Tetracan is the first no-topple, flat base design, manufactured from high molecular polyethylene. All cans come with a flexible pouring spout and are available in a range of colours. Tetracans conform to S.I.1982/630 standards.

Description	Qty	Part No.	Single P/No.
Green Unleaded	10	5-50761	5-50761/1
Black Diesel	10	5-50762	5-50762/1



SANITATION FLUIDS FOR PORTABLE AND CASSETTE TOILETS



DOMETIC TOILET SPECIAL CARE 1.5L

Ecologically compatible additive for waste holding tanks

- Outstanding odour protection
- Facilitates waste storage and discharge
- Eco-friendly awarded with eco-logical hallmark
- Pleasantly fresh scent

Dosage: 100ml additive per 10L waste tank capacity.

Part No. 9-52100



DOMETIC TOILET POWER CARE 1.5L

Highly effective additive for waste holding tanks.

- Prevents unpleasant odours in the holding tank
- Breaks down waste to facilitate disposal
- Remains effective after freezing and thawing
- Simple dosing with measuring strip

Dosage: 60ml diluted with 2L fresh water per 10L waste tank capacity.

Part No. 9-52101



DOMETIC TOILET EXTRA CARE 1.5L

Fluid additive for flush tank. Can be used on its own or in combination with other Dometic toilet additives.

- Prevents stains and scaling to the toilet bowl
- Protects rubber seals
- Protective layer makes cleaning the toilet bowl easier
- Integrated deodoriser adds a pleasant fragrance

Dosage: 100ml per 10L flush water tank capacity.

Part No. 9-52102



DOMETIC TOILET QUALITY CARE 473ML

Highly effective toilet bowl cleaner. Ideal for china, ceramics, plastic and fibreglass toilet bowls

- Quickly removes stains and scaling from the toilet bowl
- Simply apply to the bowl and under the rim, let it work and brush away.

Part No. 9-52103



DOMETIC TOILET TANK CARE 475ML

Efficient additive for regular cleaning of the waste holding tank.

- Removes organic and inorganic scale from the tank's inner walls and components
- Effortless cleaning, simply add to the tank and let it work.
- Cleans to keep waste holding tank fresh

Dosage: 150ml of additive per tank clean

Based on use with either portable or cassette toilet waste tanks.

Part No. 9-52104

CLOSED CELL FOAM TAPE

Grey expanded polyethylene with self adhesive waterproof backing. Density: 33kgm³.

Closed Cell Foam Tape can be used to form a weather tight seal when installing windows, portholes, deck hatches, ventilators etc. The rolls come with adhesive on one side to enable the foam to be positioned and held in place to make installation easy.

Available in boxes or per single coil.

For single coils add /1 to the part number i.e 5-77502/1

*Black medium density (200kgm³) reverse wound PVC self adhesive foam strip

- Self adhesive on one side
- Available in 12, 19, 25 & 50mm wide rolls
- Easy and clean to use
- Anthracite colour



Part No.	Qty	Width	Thickness	Length	Uses
5-77502	25 Coils	12mm (1/2")	3mm	15m	Sealing Fittings, Windows, Track etc.
5-77509	15 Coils	19mm (3/4")	3mm	15m	Track etc.
5-77515	12 Rolls	25mm (1")	6mm	10m	Weed Hatch Rubber
5-77520	6 Rolls	50mm (2")	6mm	10m	
5-77500*	1 Roll	20mm (3/4")	3mm	25m	Sealing windows NEW



DELIVERY

Unable to send via carrier. Contact your local Aquafax sales depot for alternative delivery methods.

TETROSYL OILS, GREASE & CONSUMABLES




WHITE SPRAY GREASE



Formulated with added PTFE to repel water, resist heat & salt, and to protect against corrosion. Special non-drip formula, particularly suitable where longer term lubrication & protection are required.

12 x 400ml P/No. N-55930
400ml Single P/No. N-55930/1

TETROCLEAN ENGINE CLEANER & DEGREASER



Removes ingrained grease, oil, dirt & grime from all vehicle engines in minutes. Unique 'water washable' formula is also suitable for removing tar spots and cleaning paint brushes and floors.

12 x 1L P/No. N-55920 4 x 5L P/No. N-55921
1L Single P/No. N-55920/1 5L Single P/No. N-55921/1

EP90 HYPOID GEAR OIL



Suitable for most manual gearboxes

12 x 500ml P/No. N-55935
500ml Single P/No. N-55935/1

DOUBLE TT



A high quality, multi-purpose maintenance fluid suitable for home, garden & workshop.

- Penetrates - loosens rusted parts
- Lubricates - stops squeaks in free mechanisms & locks
- Protects - helps to prevent corrosion on metal surfaces

12 x 400ml Part No. N-55925
400ml Single Part No. N-55925/1



ARE YOU STARTIN'?

Eases engine start in cold weather - ideal for petrol & diesel vehicles. 400ml aerosol.

6 x 400ml Part No. N-55906
400ml Single Part No. N-55906/1

HANDY OIL

A light oil suitable for many uses - in the car, home & general DIY. Formulated from high quality mineral oils & anti-corrosion additives, to give lubrication and added protection against rust and seizure.



12 x 125ml Part No. N-55915
125ml Single Part No. N-55915/1

ANTI-FREEZE, FUEL ADDITIVES & THREAD SEALANT

MORRIS UNIVERSAL ANTI-FREEZE

Recommended for all year round use, it protects all water cooled engines from frost damage down to -34°C and ice damage -50°C (at 50% of total coolant).



For full details see page 35 Section 2

Description	Part No.
Bulk pack of 12 x 1Lt bottles	2-74970
Single 1Lt bottle	2-74970/1
Bulk pack of 4 x 5Lt containers	2-74972
Single 5Lt container	2-74972/1

FREEZE BAN

Non toxic antifreeze for boats or caravans fresh water systems. It will protect the system down to -15°C. Safe, odourless & tasteless, it can be used at full strength for boat engine winterization.

Part No. 9-90760 (4 x 5L)
Part No. 9-90760/1 (1 x 5L)

Recommendation for use
A 5 litre container is normally enough when diluted by half with water to fill an average fresh water installation consisting of water pump, water heater, two hand basins, sink & shower.



CLESSETITE LPG THREAD SEALANT

- Handy 50ml bottle with applicator
- Suitable for LPG Gas, natural gas and potable water
- Metal thread sealant for use with copper, steel, brass, bronze, aluminium & alloys
- Certified to EN751 part 1 and meets pressure requirements for part 2 (Class A & B)
- Individual or retail pack of 10 bottles available



Part No: 1-59071/1 Single bottle
Part No: 1-59071 Box of 10

SUPERCLEAN MORENDO DD DIESEL FUEL ADDITIVE



A multifunctional diesel fuel additive that will improve ignition quality, combustion and storage of distillate fuels. It is designed to be added to diesel and distillate burner fuels in bulk storage tanks, or to the fuel tanks of diesel engined vehicles and marine craft.

- Increased Cetane number
- Improved Lubricity
- Injector cleanliness
- Improved dispersancy
- Improved fuel stability
- Water tolerance
- Foam Control

Bulk Pack of 12 x 500ml Part No. 2-74998
Single 500ml bottle Part No. 2-74998/1

Physical Characteristics

Colour:	Amber
Treatment Rate:	1 part Superclean Morendo DD to 400 parts fuel

SUPERBLEND ZERO LEAD 2005



A lead free fuel treatment, developed to protect against valve seat recession in 4-stroke engines designed to run on leaded petrol. It is a carefully balanced blend of potassium based organic compounds, that provided enhanced lubricity and wear protection previously attributed to leaded additives. The product does not increase particulate emissions or affect fuel consumption. It is catalytic converter friendly and will not contribute to inlet valve sticking or spark plug fouling.

IT SHOULD NOT BE USED IN CONJUNCTION WITH OTHER FUEL ADDITIVES

Bulk Pack of 12 x 500ml Part No. 2-74999
Single 500ml bottle Part No. 2-74999/1

Physical Characteristics

Colour:	Amber
Treatment Rate:	1 part Superblend Zero Lead 2005 to 300 parts fuel



MORRIS LUBRICANTS



GOLDEN FILM SAE 30 (formerly 'Supreme 30')

APPLICATION:

Golden film SAE 30 is an ideal choice for lightly loaded older diesel engines used in canal boats, watercraft and generators e.g Lister and Perkins

PERFORMANCE:

Recommended for use in engines where modern multigrade, high additive level oils cannot be used. Can dramatically reduce the likelihood of bore glazing.

API: CC/SD TBN, mg/KOH/g: 4.0



Description	Part No.
Bulk Pack 4 x 5L plastic bottles	2-74923
Single 5L plastic bottle	2-74923/1

SERVOL PERFORMANCE PLUS 15W/40

APPLICATION:

High quality mineral oil designed for use in modern petrol, diesel and turbo charged engines.

PERFORMANCE:

Provides a high level of engine cleanliness and controls the formation of high temperature lacquers and low temperature sludges
Contains an effective dispersant to minimise oil thickening

API: CG-4/CF-4/SJ/SL TBN, mg/KOH/g: 11.0



Description	Part No.
Bulk Pack 4 x 5L plastic bottles	2-74924
Single 5L plastic bottle	2-74924/1

GOLDEN FILM 10W/40 CLASSIC MARINE ENGINE OIL

NEW

High quality multi grade engine oil designed for petrol and diesel engines, such as in canal boats, where SAE15W/40 may be specified to ensure lubricant flows more rapidly at low temperatures improving component protection
Additive level has been chosen and optimised to prevent bore glazing and bore polishing

Suitable for the following gearboxes: PRM 500D, 750A, 750C and ZF/Hurth Marine Transmissions.

API: CC/SF



Description	Part No.
Bulk Pack 4 x 5L plastic bottles	2-74925
Single 5L plastic bottle	2-74925/1

AQUAMAX 2 STROKE OUTBOARD OIL

APPLICATION:

Recommended for two stroke water cooled outboard engines using premix or oil injection, from high powered down to small cylinder auxiliary engines.

PERFORMANCE:

Aqua Max 2 has been developed to meet the need for a specialised ash free outboard motor oil for today's high powered multi cylinder two cycle engines. The formulation provides an excellent lubricating film giving an improved engine performance and reduces engine wear.

- Maximum film strength
- Freedom from ring sticking
- No plug fouling or pre-ignition
- Anti-wear, anti-scuffing protection
- Reduced smoke and clean burning characteristics
- Reduced deposit formation in ports

Physical Characteristics

Colour	Blue/Purple
TBN, mg/KOH/g:	4.5



Description	Part No.	Description	Part No.
Bulk Pack 12 x 1Lt	2-74934	Bulk Pack 4 x 4Ltr	2-74935
Single 1Ltr Bottle	2-74934/1	Single 4Ltr Container	2-74935/1

Certified by: National Marine Manufacturers Association (NMMA): TC-W3™ R-94102B JASO FB

K2EP LONGLIFE GREASE

APPLICATION:

The high degree of water tolerance makes K2EP ideal for boat trailer bearings, where there is a combination of immersion and high speed road work.

PERFORMANCE:

K2EP is a mineral oil based, lithium complex, soap-thickened grease, containing performance additives. The additives provide extreme pressure (EP), oxidation, rust and corrosion protection, ensuring effective lubrication is achieved even under the most severe conditions. It has excellent sealing properties which help protect bearings against corrosive atmospheres and the ingress of water, dust and abrasive particles. This grease out performs conventional Lithium greases at high temperatures.

Suitable for all general industrial, automotive and any bearing requiring long life high performance



Physical Characteristics

Appearance:	Red Sparkle, Tacky
NLGI:	2
Thickener:	Lithium Complex
Operating Temp Range:	-20°C to +150°C

Size	Part No.
400g cartridge	2-74915
12.5kg Tub	2-74916

K99 WATER RESISTANT GREASE

APPLICATION:

Specially designed by Morris to feed evenly around the propeller shaft in the stern tube.

PERFORMANCE:

Outstanding water resistance qualities providing excellent protection of parts from corrosion and has good sealing properties.

Size	Part No.
500gm Tub	2-74911
3kg Tub	2-74912
12.5kg Tub	2-74913



Physical Characteristics

Appearance:	Light Brown Smooth Grease
NLGI:	2/3
Operating Temp Range:	-20°C to +110°C



SANDING & FINISHING



734 WET OR DRY ABRASIVE SHEETS

For total wet flattening & sanding sequences of fairing compound, epoxy, marine paints.

- Closed Coat Silicon Carbide

Part No.	Size	Grit	Pack Qty
5-01971	230mm x 280mm	P1000	25 Sheets
5-01972	230mm x 280mm	P800	25 Sheets
5-01973	230mm x 280mm	P600	25 Sheets
5-01975	230mm x 280mm	P400	25 Sheets
5-01977	230mm x 280mm	P320	25 Sheets
5-01979	230mm x 280mm	P240	25 Sheets
5-01981	230mm x 280mm	P180	25 Sheets
5-01982	230mm x 280mm	P150	25 Sheets
5-01986	230mm x 280mm	P120	25 Sheets
5-01987	230mm x 280mm	P100	25 Sheets
5-01988	230mm x 280mm	P80	25 Sheets
5-01989	230mm x 280mm	P60	25 Sheets
5-09085	230mm x 280mm	P600	4 Sheets
5-09088	230mm x 280mm	Assorted	4 Sheets

618 DRY ABRASIVE SHEETS



Has a robust paper backing, necessary in the coarser grit range, for dry sanding paints, fairing compounds and primers.


- Frecut Open Coat Silicon Carbide

Part No.	Size	Grit	Pack Qty
5-02556	230mm x 280mm	P400	50 Sheets
5-02558	230mm x 280mm	P320	50 Sheets
5-02560	230mm x 280mm	P240	50 Sheets
5-02562	230mm x 280mm	P180	50 Sheets
5-02563	230mm x 280mm	P150	50 Sheets
5-02564	230mm x 280mm	P120	50 Sheets
5-02565	230mm x 280mm	P100	50 Sheets
5-02631	230mm x 280mm	P80	50 Sheets

245 HOOKIT & 245 STIKIT

Green paper primarily used for rust removal and light dry sanding of metal surfaces.

For machine use or on special 3M hand tools. Disc Size: 150mm




Grit	245 STIKIT 6 Holes		245 STIKIT No Holes		245 HOOKIT 6 Holes		245 HOOKIT No Holes	
	Pack Qty	Part No.	Pack Qty	Part No.	Pack Qty	Part No.	Pack Qty	Part No.
120	100	5-00759	100	5-00756	50	5-01687	50	5-01645
100	100	5-00760	100	5-00757	-	-	-	-
80	100	5-00761	-	-	50	5-01689	50	5-01647
60	50	5-00997	50	5-00995	50	5-01690	-	-
40	50	5-00998	50	5-00996	50	5-01691	50	5-01649

245 Stikit No Hole Disc P120 Disc Size: 203mm dia. Part No. 5-00577

255P STIKIT

Gold abrasive paper for high performance use on tougher to sand marine paint, gel coat, epoxy and primer systems.

- Disc Size: 150mm
- Frecut Open Coat Aluminium Oxide



Grit	255P STIKIT 6 Holes	
	Pack Qty	Part No.
240	125	5-00984
180	125	5-00358
120	125	5-00360

255P+ HOOKIT NEW

255P+ system 15 hole discs and pads achieve better cut, less loading and a reduction in airborne dust.

Anti loading benefits particularly with fine grades on difficult to sand top coats and primers.

Size: 150mm
Colour: Gold
Hole Configuration: 861A



Grit	255P+ HOOKIT 15 Holes	
	Pack Qty	Part No.
P80	100	5-00443
P120	100	5-00445
P150	100	5-00446
P180	100	5-00447
P240	100	5-00449
P320	100	5-00451
P360	100	5-00452
P400	100	5-00453
P500	100	5-00454



SANDING SPONGES

Sanding sponges suitable for sanding edges or contours of wooden surfaces.

SOFT-BACK type can be used for sanding shaped wooden surfaces where a very high flexibility is required.

Can be ordered singly by adding /1 i.e. 7-03801/1.

Part No.	Size	Type	Grit	Pack Qty
5-03801	95 x 67 x 25mm	Standard	Fine	24
5-03802	95 x 67 x 25mm	Standard	Medium	24
5-03803	95 x 67 x 25mm	Standard	Coarse	24
5-03808	115 x 140 x 5mm	Soft-Back	Medium	20
5-03809	115 x 140 x 5mm	Soft-Back	Fine	20
5-03810	115 x 140 x 5mm	Soft-Back	Superfine	20

3M HOOKIT HAND BLOCK

Hard Type

Made of a sturdy, durable high strength material to fit the hand comfortably.

Soft Type

Made of a tough flexible foam for block sanding flat and contoured areas.



Hard

Soft

Part No.	Size	Type	Pack Qty
5-05740	70 x 127mm	Hard	1
5-05742	70 x 127mm	Soft	1

3M HOOKIT HAND FILE BOARD

A well balanced, durable shop tool, resistant to most solvents.

It provides a non-twisting flat sanding surface.



Hard

Part No.	Size	Type	Pack Qty
5-05744	70 x 395mm	Hard	1



SANDING & FINISHING



260L HOOKIT FINISHING FILM

Frecut Open Coat Aluminium Oxide, P graded finishing abrasives reduce working steps generating uniform and perfect finishes.



Part No	Disc Size	Grit	Pack Qty
5-00238	150mm	P1500	50 Sheets
5-00239	150mm	P1200	50 Sheets
5-00240	150mm	P1000	50 Sheets
5-00241	150mm	P800	50 Sheets
5-00242	150mm	P600	50 Sheets

3M BUDGET HOOKIT DISCS 338U

NEW

BUDGET

Abrasive C paper backed disc with Hookit attachment for portable sanders and off hand sanding. Ideal for intermediate and final sanding on lacquered hard and soft woods, paints lacquers, primers, solid surface materials and plastics.



Aluminium Oxide mineral on a C-weight paper backing gives good performance in general sanding applications, at an economical price.

Part No.	Disc Size	Grit	Pack Qty
5-05496	150mm	P80	100
5-05497	150mm	P120	100
5-05498	150mm	P150	100
5-05503	150mm	P180	100
5-05504	150mm	P220	100
5-05506	150mm	P280	100
5-05507	150mm	P320	100
5-05508	150mm	P360	100
5-05509	150mm	P400	100
5-05510	150mm	P500	100

TRIZACT FINE FINISHING DISC

Discs made with a pyramid structure which contains multiple layers of fine grade abrasive mineral particles. New mineral is continuously exposed resulting in long life with a consistent finish.

NEW



Part No	Disc Size	Grit	Pack Qty
5-00414	150mm	P3000	15

3M 501C FIBRE DISC

High cutting action and long product life on medium pressure applications. Excellent mineral retention for edge grinding applications.



Part No.	Disc Size	Grit	Pack Qty
5-00503	115 x 22mm	P24	25
5-00504	115 x 22mm	P36	25
5-00505	115 x 22mm	P50	25
5-00507	115 x 22mm	P80	25
5-00508	115 x 22mm	P100	25
5-00509	115 x 22mm	P120	25
5-00517	178 x 22mm	P24	25

3M ABRASIVE ROLLS

210 Abrasive Roll - Hand and portable machine sanding, smoothing wood surfaces, filling preparations and roughing paint coats. Materials: Fillers, wood, metal and paints.



618 Abrasive Roll - Hand and portable machine sanding of furniture, ornaments, frames, fillers, mouldings & profiles. Materials: lacquers, plastics, primer coats, fillers, wood

Part No	Type	Width	Length	Grit
5-04560	210	115mm	50m	P40
5-04672	618	115mm	50m	P150
5-06528	618	115mm	50m	P240



3M AIR POWERED ORBITAL SANDER

Packed with horsepower, giving you the power to maximise sanding performance for a smooth surface finish and minimise operational obstacles. Supplied ready with swivel hose adaptor to attach to any central vacuum system for efficient evacuation of dust and debris.

Part No. 5-00461

Max RPM:	12000
Vacuum	Central vacuum
Motor HP (w)	0.28
Airflow Rate:	17
Tool Dia.:	152mm
Orbit:	5mm
Weight:	0.91kg
Length:	223mm
Height:	83mm



NEW

3M ELECTRIC POLISHER

Intelligent design, a smarter way of working. This polisher is engineered to work hand-in-hand with 3M™ Compounds, Pads and Accessories. Makes any job shine with an innovative body design that keeps the pad contamination-free and an impressive power to weight ratio for improved comfort and performance. Part No. 5-04393

Polishing Back-up Pad: Spindle thread M14 Diameter. 125mm - Part No. 5-09552

RPM:	700-1850
Electric Speed Control:	Yes
Power (Watt):	1100W
Voltage:	240V
Current (Amp)	10.6A
Protection Class:	II
Spindle Thread:	M14
Tool Dia.:	200mm
Height:	1.9kg



NEW

3M TWO HAND ORBITAL SANDER

- Low profile balanced back-up pad for smooth operation
- Ergonomically designed grip and moulded body for improved handling and toughness
- 9.5 mm orbit provides fast and efficient operation
- For more demanding applications where extra leverage and power is required
- Two-Hand functionality with* or without removable side handle

*recommend use with handle for reduced vibration

Part No. 5-08337

Max RPM:	12000
Vacuum	Non-vacuum /central vacuum
Motor HP (w)	0.46
Airflow Rate:	24
Weight:	1.32kg
Length:	328mm
Height:	113mm

GENERAL MAINTENANCE EQUIPMENT



OIL SORBENT

Designed to absorb oil, cutting most other types of fluid, they help clean and maintain work areas from dripping and leaking equipment around floors, work benches, drums & walk-ways. Excellent to use during on-board engine repair works.

Part No.	Description	Dimensions	Absorbs	Pack Qty
5-05650	T30 Pillow/Pad	18 x 38cm	4.5 litres	Each
5-00156	HP156 Sheets	48 x 43cm	1 litre	100 Sheets
5-00156/1	HP156 Sheet	48 x 43cm	1 litre	1 Sheet
5-05660	T275 Mini Boom	75mmOD x 1.2m	4 litres	Each

MARINE SUPERBUFF PAD

Unique double face construction wool buffing pad which allows the do-it-yourself to reconditioning & maintain their boat, using their drill to obtain professional looking high gloss finishes.

152mm dia - Part No. 5-09038




5-09038

SCOTCH-BRITE SYSTEM SCOURING PADS

Scotch-Brite cleaning system is suitable for every type of marine cleaning job. The pads fix to the unique Scotch-Brite Handle, even when wet and ensure an effective & fast cleaning action on hull, metal surfaces, decks etc.

Part No.	Description	Colour	Dimensions	Pack Qty
5-00035	Soft	White	158 x 95mm	6
5-00045	Medium	Blue	158 x 95mm	6
5-00055	General Purpose	Green	158 x 95mm	6
5-00961	Pad Holder	Grey	118 x 81mm	Each



5-09378

HIGH GLOSS POLISHING PAD

150mm dia. - Part No. 5-09378

SCOTCH-BRITE HANDPADS

Will never rust and can be used in the presence of water or solvents.

Dimensions: 158 x 224mm

Part No	Colour	Grit Grade	Pack Qty
5-07447	Red	Very Fine	10
5-07448	Grey	Ultra Fine	10



5-06941 Maintenance Free Respirator.

Applications: Mixing of paints, application of coatings, adhesives & sealers, degreasing. Meets EN405 2001. CE Marked.

RESPIRATORS

Part No.	Type	Pack Qty
5-09310	Dust Respirator	20
5-09312	Dust Respirator + Valve	10
5-06941	Paint Respirator	Each
5-09925	Welding Fume Valved	10
5-00400	4000 Series Respirator Overspray Guard	10



5-09925 Welding Fume Valved. Protects against fine dusts, mists, metal fumes. Meets EN149:2001 FFP2. CE Marked.



5-01435

5-01100

HEARING & FACE PROTECTION



5-02700

Part No.	Type	Pack Qty
5-01100	Ear Plugs (Bulk Pack)	200 Pairs
5-01100/10	Ear Plugs	10 Pairs
5-01435	Standard Ear Muffs	Each
5-02700	Safety Spectacles	Each

PERFECT-IT III HIGH PERFORMANCE CLOTHS (Pack of 3 Mixed)

Advanced 3M materials technology achieves new standards of surface cleaning and polishing efficiency.

- Non scratching, low linting
- Durable - resistant to chemicals
- Re-usable - washable up to 90°C
- Three colours for job differentiation
- High cleaning power with or without solvent.



Part No. 5-00668

NEW

SUPERBUFF POLISHING PADS

A double sided soft edged polishing pad, specially designed for use with polisher and glaze.

Made of extremely fine fibres it produces a high gloss on paint and gelcoat surfaces, is long lasting, lightweight and well balanced. Fits all standard (5/8" shaft) slow speed polishers.



Part No.	Description	Pack Qty
5-05701	Compounding Pad White 200mm Dia	Each
5-05705	Polishing Pad Yellow 200mm Dia	Each
5-05710	Superbuff Adaptor 5/8" for M16	Each

HOOKIT™ SBS™ SYSTEM

This uniquely constructed compounding/ polishing pad system provides quick change advantages while producing exceptional finishes on gelcoat and paint systems.

Designed to provide easy attachment and removal as well as centering of polishing pad to backup. Fits all standard (5/8" shaft) slow speed polishers.



Part No.	Description	Pack Qty
5-05711	Compounding Pad White	Each
5-05713	Polishing Pad Yellow	Each
5-05717	5/8" Backup Pad	Each




SURFACE PROTECTION

WEATHER RESISTANT TAPE

2090 Long-Mask Blue Masking Tape provides UV stability & adhesive transfer resistance for up to 7 days.

256 Green Masking Tape has a smooth, sharp edge & doesn't lose its shape when applied over a long continuous horizontal surface. Has 5 days time limit when exposed to ultraviolet.



Part No.	Description	Tape Width	Roll Length	Pack Qty
5-02090	2090 Blue	25mm	55m	24 Rolls
5-02091	2090 Blue	50mm	55m	24 Rolls
5-09052	256 Green	25mm	55m	Roll

Can be supplied singly by adding /1 to part no. i.e. 5-02090/1.

2211 GENERAL MASKING TAPE

Ideal for non-critical applications. Very good performances & holding power up to 70°C.

This tape has superior removal properties from various surfaces i.e. plastic, metal, wood etc.



Tape Width	Roll Length	Part No.	No. of Rolls	Part No.	No. of Rolls
19mm	50m	5-02211	48	5-02211/12	12
25mm	50m	5-02212	36	5-02212/9	9
38mm	50m	5-02213	24	5-02213/6	6
50mm	50m	5-02214	24	5-02214/6	6

Can be supplied singly by adding /1 to part no. i.e. 5-02211/1.

218 FINE LINE TAPE


Highly conformable polypropylene tape which stretches easily for painting smooth curves. Excellent solvent & moisture resistance. Not for extended outdoor use.



Part No.	Description	Tape Width	Roll Length	Pack Qty
5-06521	Fine Line Tape	6mm	55m	Roll
5-06522	Fine Line Tape	12mm	55m	Roll
5-06523	Fine Line Tape	19mm	55m	Roll

3434 MASKING TAPE

High performance tape designed to meet the most demanding of paint masking situations. Excellent solvent and water resistance, suits both modern 2-pack and water based products.



Part No.	Description	Tape Width	Roll Length	Pack Qty
5-07897	Masking Tape	25mm	50m	36 Rolls
5-07899	Masking Tape	50mm	50m	20 Rolls

3M FB10 FASBOND CONTACT ADHESIVE 1L

A brushable, air drying, neutral-coloured contact adhesive for bonding decorative laminates, aluminium, steel, wallboard, plywood, panels, wood and wood veneer, rubber, canvas and other porous and non-porous materials to each other or to themselves.

Bonds immediately and permanently upon application eliminating the need for clamping. Offers exceptional high-bond strength and superior resistance to heat and sunlight.

Bulk Pack: 6 x 1Ltr Can: **Part No. 5-02010**
1Ltr Can: **Part No. 5-02010/1**



WATERPROOF CLOTH TAPE


A tough resilient waterproof tape with high strength adhesive coating. Ideal for running repairs during long periods at sea or when racing.



Part No.	Description	Tape Width	Roll Length	Pack Qty
5-03998B	Black Cloth Tape	50mm	50m	Each

3M 1436 ALUMINIUM FOIL TAPE

General purpose high quality aluminium foil tape. Bonds to a variety of different surfaces including woods, metals and plastics.



Part No.	Description	Tape Width	Roll Length	Pack Qty
5-01436	Aluminium Tape	50mm	50m	16 Rolls
5-01436/1	Aluminium Tape	50mm	50m	1 Roll

DUAL LOCK FASTENERS

Dual lock fasteners provide reclosable fastening for a wide range of applications.

- UV & water resistant
- Ideal for attaching marine electronics and securing cabinets and doors below deck



Part No.	Description	Width	Roll Length	Pack Qty
5-00356	Dual Lock Mini	25mm	5m	2 Rolls

SAFETYWALK

Designed to increase grip on virtually any marine surface, from wood to fibreglass thereby increasing safety. It is easy to apply and has pressure sensitive backing.



Part No.	Description	Colour	Tape Width	Roll Length
5-01062	General Purpose	Black	25mm	18.3m
5-01063	General Purpose	Black	50mm	18.3m
5-01070	Resilient	White	25mm	18.3m
5-01071	Resilient	White	50mm	18.3m



COMPOUNDS, CLEANERS, WAXES AND POLISH



MARINE HIGH GLOSS GELCOAT COMPOUND

This paste compound is designed to quickly remove wet sanding scratches from production gelcoat. This compound contains no wax or silicone and leaves a high gloss finish without swirl/wheel marks, it has a unique formulation which reduces slinging while buffing.

4.3kg - Part No: 5-06025



MARINE SUPER DUTY RUBBING COMPOUND

Recommended for heavy aggressive compounding of oxidized gelcoat and marine paint. Clings to paint surface – remains wet on the job with little or no mess. Maintains high rate of cut with constant pressure. Buffs to high gloss with minimum of swirl marks. Can be used by hand or machine. Contains no wax or silicone.

473ml - Part No. 5-09004



MARINE FIBREGLASS CLEANER & WAX

Designed to remove light to medium oxidation, clean, polish & protect fibreglass/ gelcoat & marine topside paints. Restores shine & protects in one application.

473ml Liquid - Part No. 5-09009
946ml Liquid - Part No. 5-09010



CITRUS BASE CLEANER

Cleaner/de-greaser used to remove dirt, grease, tar, liquid adhesive, adhesive tape residue, inks, oil and scuff marks. Non-corrosive, this cleaner has a fresh citrus scent.

171ml spray - Part No: 5-01020
Aerosol 500ml - Part No: 5-01021

MARINE METAL RESTORER & POLISH

Designed to restore and polish stainless steel, brass, bronze, copper, chrome, aluminium and other marine metals by removing surface rust, oxidation, corrosion and tarnish. Restores luster.

500ml Paste - 5-09019



OUTDOOR VINYL CLEANER, CONDITIONER & PROTECTOR



Designed to clean, condition and protect marine vinyl and rubber components. Unique gel formula provides durable protection in exterior, as well as interior applications. Gel formula gives you better application control than liquids; a little bit goes a long way. Ideal for inflatables.

236ml Liquid - Part No: 5-09023



MARINE FIBREGLASS RESTORER & WAX

Designed to remove heavy oxidation, chalking, fading, minor scratches, rust & exhaust stains; plus provide protection on fibreglass/gelcoat & marine topside paints. Restores shine & protects in one application.

473ml Liquid - Part No. 5-09005
1 Litre Liquid - Part No. 5-09006

ULTRA-PERFORMANCE PASTE WAX

This innovative new product will leave a protective high gloss finish on marine fibreglass gelcoat, marine topside paints, painted aluminium and metal parts. The easy on/easy off formulation will save time and effort and leave the boat with a long lasting coat that retards UV light damage.

269g Tin - Part No: 5-09030



FINESSE-IT™ II FINISHING MATERIAL

Quickly and effectively removes minor scratches, producing a brilliant, deep, wet look shine. For best results use by machine. Contains no wax or silicone and is clear coat safe.

473ml - Part No. 5-09048



PERFECT-IT™ III FAST CUT COMPOUND

Has superior cut combined with a high-gloss ultra-fine finish. It completely removes sand scratches without filling. Follow with 3M Marine Finesse-it II Finishing Material for a shiny and high-gloss finish.

1kg - Part No. 5-09374



PERFECT-IT™ III MACHINE POLISH

Primarily designed for machine application but can be used by hand. Apply by DA to save time and effort. The liquid produces a high-gloss deep-lustre durable finish.

1ltr bottle - Part No. 5-09376

See Section 4 for TK Colorspray Spray Paints

Spray Paints for Engines

Fast drying spray lacquer that is fit for painting and repairs. It's very weather resistant!



Anti-rust Primers

Very low harmfulness, high resistance against scratches and very good adhesiveness. Makes next painting even, and increases its resistance.

Anti-fouling Spray Paint

An antivegetative paint for the protection of gears and propellers. Does not contain tin or copper compounds but emanates organic non-polluting poisons. Antivegetative with hard matrix indicated for average & high speed.

